


kontrolyum

mechatronic systems **HVAC**



we have the control



2020

PRICE LIST

www.kontrolyum.com



Index.....	1
About Us.....	2
THERMOSTATS & ZONE CONTROL VALVES	
Stand Alone Thermostats.....	5
Communication Thermostats.....	7
Heating Thermostats.....	8
Motorized Zone Valves.....	9
SWICHES & DETECTORS	
Switches.....	13
Detectors.....	15
SENSORS & TRANSMITTERS	
Temperature & Humidity Sensors.....	17
Combined Sensors.....	18
Other Type Sensors.....	19
Differential Pressure Transmitters.....	21
Pressure Transmitters.....	23
DAMPER ACTUATORS	
Non-Spring Return Damper Actuators.....	25
Spring Return Damper Actuators.....	27
Fire / Smoke & Mini Damper Actuators.....	29
MOTORIZED CONTROL VALVES	
2 & 3 Way Globe Valves.....	31
2 & 3 Way Hot Water / Steam Valves & Actuators.....	33
Linear Actuators.....	35
Rotary Actuators & Controllers.....	36
Motorized Butterfly Valves.....	37
TOXIC & EXPLOSIVE GAS SENSORS	
Gas Sensors.....	39
FREQUENCY INVERTERS	
Frequency Inverters.....	43
EXPROOF EQUIPMENTS	
Transmitters & Switches.....	45
Gas Sensors.....	48
Damper Actuators.....	49
Valve Actuators.....	51
Company Information.....	52
Commercial Terms.....	53



With more than 11 years of industry experience, Kontrolyum operates in the field of automated control and building automation systems; It supplies materials to the OEM industry, mechanical subcontractors, end users, construction and contracting companies.

Our company, which has a dynamic staff that closely follows the technological developments in automatic control and building automation systems since its establishment;

It provides the supply of room thermostats, fan coil motor valves, zone control valves, switches, sensors, damper motors, motor valves, gas sensors, water meters & calorimeters, gauges, balancing valves, exproof equipment, and product options of many quality brands.

Our company was founded in Istanbul through Turkey to neighbour countries, the Middle East countries and provides supply materials to many of the world.

Thanks to the importance it gives to quality and the determination to succeed since its foundation, it has been recognized in the automation sector in a short time and has never given up these principles.

The unchanging principles of our company; always to serve with quality, service, timely delivery, after sales support and optimum solutions.

Working with the principle of "Guarantee of success and continuity in its field, honesty and quality in service", the Kontrolyum will continue to serve you today and in the future.





ONLINE SHOP

Over **7,500** items of 35 different brands are at here

www.kontrolyum.com





THERMOSTATS & ZONE VALVES



FAN COIL THERMOSTATS - Mechanical



RT226-E2	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control Surface mount model Door or Window key card switch	32,00 USD
----------	---------------	--	-----------



RT226-E3	HEXA CONTROLS	2 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control Surface mount model	19,00 USD
----------	---------------	--	-----------



RT226-E4	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control Surface mount model	20,00 USD
----------	---------------	--	-----------

FAN COIL THERMOSTATS - Digital



RT226-R4	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, flush mount model Timer function to turn On or Off	44,00 USD
----------	---------------	--	-----------



RT226-R4-B	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, surface mount model Timer function to turn On or Off	44,00 USD
------------	---------------	--	-----------




RT226-B14	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, flush mount model Timer function to turn On or Off	60,00 USD
-----------	---------------	--	-----------



RT226-B24	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, flush mount model Timer function to turn On or Off	60,00 USD
-----------	---------------	--	-----------



RT226-B64	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, flush mount model Timer function to turn On or Off	45,00 USD
-----------	---------------	--	-----------



FAN COIL THERMOSTATS - Digital

RT226-F6	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, surface mount model 2A max. fan relay, 230V AC	60,00 USD
RT226-F7	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control Door or Window key card function and external sensor input With display, surface mount model 2A max. fan relay, 230V AC	70,00 USD
RT226-F8	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 0-10V DC modulating control Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control With display, surface mount model 24V AC/DC power supply	100,00 USD
RT226-F9	HEXA CONTROLS	2 and 4 pipe Fan Coil and VAV control thermostat 0~10V DC / 4~20mA modulating valve control Heat/Cool mode 1 Aux Heating On/Off control (230V AC) Thermostatic fan control Door or Window key card function and external sensor input With display, surface mount model	110,00 USD
RT226-F10	HEXA CONTROLS	2 and 4 pipe Fan Coil and VAV control thermostat 0~10V DC / 4~20mA modulating valve control Heat/Cool mode 0~10V DC / 4~20mA modulating fan control Door or Window key card function and external sensor input With display, surface mount model 24V AC/DC power supply	150,00 USD
RT226-K9	HEXA CONTROLS	2 and 4 pipe Fan Coil and VAV control thermostat 0~10V DC / 4~20mA modulating valve control Heat/Cool mode 1 Aux Heating On/Off control (230V AC) Thermostatic fan control Door or Window key card function and external sensor input With display, surface mount model 3A max. fan relay, 24V AC/DC	150,00 USD



FAN COIL THERMOSTATS - Wireless

RT226-W24	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control LCD blue light screen 2A max. fan relay Receiver module 230V AC, thermostat 2XAA Alkaline battery	110,00 USD
-----------	---------------	--	------------







FAN COIL THERMOSTATS - Modbus Communication

	RT226-J24	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat ModBus RS485, LCD touch screen, flush mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control, door key card and ext. sensor function 2A max. fan relay, 230V AC	100,00 USD
	RT226-F4	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat ModBus RS485, LCD blue light screen, surface mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control, door key card and ext. sensor function 2A max. fan relay, 230V AC	120,00 USD
	RT226-F5	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat ModBus RS485, LCD blue light screen, surface mount model, ışıklı ekran 0-10V oransal fan kontrol Heat/Cool mode On/Off vana kontrol (230V) Thermostatic fan control, door key card and ext. sensor function 2A maks. fan çıkış rölesi, 24V AC/DC	120,00 USD
	RT226-G22	HEXA CONTROLS	2 pipe Fan Coil thermostat ModBus RS485, LCD blue light screen, flush mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control 2A max. fan relay, 230V AC	100,00 USD
	RT226-H24	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat ModBus RS485, LCD blue light screen, flush mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control 2A max. fan relay, 230V AC	100,00 USD
	RT226-MB24	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat ModBus RS485, touch screen, flush mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control 2A max. fan relay, 230V AC	85,00 USD
	RT226-M22	HEXA CONTROLS	2 pipe Fan Coil thermostat ModBus RS485, LCD blue light screen, flush mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control 2A max. fan relay, 230V AC	70,00 USD

FAN COIL THERMOSTATS - BACnet Communication

	RT226-T29	HEXA CONTROLS	2 and 4 pipe Fan Coil thermostat BACnet communication, touch screen, surface mount model 3 speed fan control (H/M/L) Heat/Cool mode On/Off valve control (230V AC) Thermostatic fan control 2A max. fan relay, 230V AC	170,00 USD
---	-----------	---------------	--	------------



HEATING THERMOSTATS - Surface Mount Models

RT226-E5	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Surface mount model Max. 6A relay	18,00 USD
RT226-Q7	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Surface mount model Max. 6A relay, 230V AC power supply	32,00 USD
RT226-P1	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Surface mount model Max. 6A relay, 2XAA Alkaline battery	35,00 USD
RT226-U1	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Surface mount model Max. 6A relay, 2XAA Alkaline battery	90,00 USD
RT226-U2	HEXA CONTROLS	Wireless Heating thermostat Heat of Cool mode On / Off switch Surface mount model Weekly programmable Max. 6A relay, 2XAA Alkaline battery	130,00 USD



HEATING THERMOSTATS - Flush Mount Models

RT226-R5	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Flush mount model Weekly programmable	55,00 USD
RT226-C11	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Flush mount model Max. 16A relay, 230V AC power supply	40,00 USD
RT226-T5	HEXA CONTROLS	Heating thermostat Heat of Cool mode On / Off switch Flush mount model Weekly programmable Max. 16A relay, 230V AC power supply	55,00 USD
RT226-Y9	HEXA CONTROLS	Heating thermostat Heat of Cool mode Modulating control Flush mount model Weekly programmable 24V AC power supply	90,00 USD





Zone Control Valves - Fan Coil

2 WAY VALVES



FCV2015	VENTILON	FCU valves, DN15 (1/2") 2 way, PN16, kv1.6	13,00 EUR
FCV2020	VENTILON	FCU valves, DN20 (3/4") 2 way, PN16, kv2.5	15,00 EUR
FCV2025	VENTILON	FCU valves, DN25 (1") 2 way, PN16, kv4	25,00 EUR

3 WAY VALVES



FCV3015	VENTILON	FCU valves, DN15 (1/2") 3 way, PN16, kv1.6	17,00 EUR
FCV3020	VENTILON	FCU valves, DN20 (3/4") 3 way, PN16, kv2.5	18,00 EUR
FCV3025	VENTILON	FCU valves, DN25 (1") 3 way, PN16, kv4	28,00 EUR

3 WAY 4 PORT VALVES



FCV4015	VENTILON	FCU valves, DN15 (1/2") 3 way 4 port, PN16, kv1.6	25,00 EUR
FCV4020	VENTILON	FCU valves, DN20 (3/4") 3 way 4 port, PN16, kv2.5	26,00 EUR
FCV4025	VENTILON	FCU valves, DN25 (1") 3 way 4 port, PN16, kv4	50,00 EUR

ACTUATORS



FCVM24	VENTILON	Electrothermic actuator, NC, On/Off, 24V AC	21,00 EUR
FCVM230	VENTILON	Electrothermic actuator, 140Nm, NC, On/Off, 230V AC	20,00 EUR
FCVM230-N	VENTILON	Electrothermic actuator, NC, On/Off, with aux. switch, 230V AC	30,00 EUR
FCVM24M	VENTILON	Electrothermic actuator, NC, Oransal, 24V AC	115,00 EUR

2 WAY MOTORIZED VALVE - On/Off, 230V AC



NVMZ-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16, Kvs 1.6 VA-7010-220 two wire 230V AC actuator	40,00 USD
NVMZ-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16, Kvs 2.5 VA-7010-220 two wire 230V AC actuator	42,00 USD
NVMZ-2025	HEXA CONTROLS	DN25 (1") 2 way PN16, Kvs 4 VA-7010-220 two wire 230V AC actuator	54,00 USD

3 WAY MOTORIZED VALVE - On/Off, 230V AC



NVMZ-3015	HEXA CONTROLS	DN15 (1/2") 3 way PN16, Kvs 1.6 VA-7010-220 two wire 230V AC actuator	50,00 USD
NVMZ-3020	HEXA CONTROLS	DN20 (3/4") 3 way PN16, Kvs 2.5 VA-7010-220 two wire 230V AC actuator	52,00 USD
NVMZ-3025	HEXA CONTROLS	DN25 (1") 3 way PN16, Kvs 4 VA-7010-220 two wire 230V AC actuator	66,00 USD



2 WAY MOTORIZED VALVE - On/Off, 230V AC

HZY-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	62,00 USD
HZY-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	64,00 USD
HZY-2025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	74,00 USD
HZY-2032	HEXA CONTROLS	DN32 (1 1/4") 2 way PN16 ball zone valve, Kvs19 in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	150,00 USD



2 WAY MOTORIZED VALVE - On/Off, 24V AC

HZN-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	66,00 USD
HZN-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	68,00 USD
HZN-2025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	80,00 USD
HZN-2032	HEXA CONTROLS	DN32 (1 1/4") 2 way PN16 ball zone valve, Kvs19 in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	160,00 USD



2 WAY MOTORIZED VALVE - Modulating, 24V AC

HZA-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 0~10V DC Modulating control, 24V AC actuator	130,00 USD
HZA-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 0~10V DC Modulating control, 24V AC actuator	134,00 USD
HZA-2025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 0~10V DC Modulating control, 24V AC actuator	140,00 USD
HZA-2032	HEXA CONTROLS	DN32 (1 1/4") 2 way PN16 ball zone valve, Kvs19 in-threaded 0~10V DC Modulating control, 24V AC actuator	170,00 USD



3 WAY MOTORIZED VALVE - On/Off, 230V AC

HZY-3015	HEXA CONTROLS	DN15 (1/2") 3 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	78,00 USD
HZY-3020	HEXA CONTROLS	DN20 (3/4") 3 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	84,00 USD
HZY-3025	HEXA CONTROLS	DN25 (1") 3 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	140,00 USD



3 WAY MOTORIZED VALVE - On/Off, 24V AC


HZN-3015	HEXA CONTROLS	DN15 (1/2") 3 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	84,00 USD
HZN-3020	HEXA CONTROLS	DN20 (3/4") 3 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	88,00 USD
HZN-3025	HEXA CONTROLS	DN25 (1") 3 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	160,00 USD



3 WAY MOTORIZED VALVE - Modulating, 24V AC

HZA-3015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 0~10V DC Modulating control, 24V AC actuator	168,00 USD
HZA-3020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 0~10V DC Modulating control, 24V AC actuator	170,00 USD
HZA-3025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 0~10V DC Modulating control, 24V AC actuator	180,00 USD





Zone Control Valves - Floor Heating

2 WAY MOTORIZED VALVE - On/Off, 230V AC



HCY-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	60,00 USD
HCY-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	62,00 USD
HCY-2025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	70,00 USD
HCY-2032	HEXA CONTROLS	DN32 (1 1/4") 2 way PN16 ball zone valve, Kvs19 in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	140,00 USD

3 WAY MOTORIZED VALVE - On/Off, 230V AC



HCY-3015	HEXA CONTROLS	DN15 (1/2") 3 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	75,00 USD
HCY-3020	HEXA CONTROLS	DN20 (3/4") 3 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	80,00 USD
HCY-3025	HEXA CONTROLS	DN25 (1") 3 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 230V AC actuator, 15sec open/close time	130,00 USD

2 WAY MOTORIZED VALVE - On/Off, 24V AC



HCN-2015	HEXA CONTROLS	DN15 (1/2") 2 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	62,00 USD
HCN-2020	HEXA CONTROLS	DN20 (3/4") 2 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	64,00 USD
HCN-2025	HEXA CONTROLS	DN25 (1") 2 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	74,00 USD
HCN-2032	HEXA CONTROLS	DN32 (1 1/4") 2 way PN16 ball zone valve, Kvs19 in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	150,00 USD

3 WAY MOTORIZED VALVE - On/Off, 24V AC



HCN-3015	HEXA CONTROLS	DN15 (1/2") 3 way PN16 ball zone valve, Kvs4.62, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	80,00 USD
HCN-3020	HEXA CONTROLS	DN20 (3/4") 3 way PN16 ball zone valve, Kvs7.5, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	85,00 USD
HCN-3025	HEXA CONTROLS	DN25 (1") 3 way PN16 ball zone valve, Kvs13.02, in-threaded 3 wires single On/Off, 24V AC actuator, 15sec open/close time	150,00 USD



SWITCHES & DETECTORS



FROST PROTECTION THERMOSTATS




FT6960-60	HONEYWELL	Frost protection thermostat -20.....+55°C set range 6m capillary, 15(8) A relay IP65, manual reset, 6 pcs mounting accessories	100,00 EUR
FT6961-60	HONEYWELL	Frost protection thermostat -20.....+55°C set range 6m capillary, 15(8) A relay IP65, auto reset, 6 pcs mounting accessories	100,00 EUR
TF60R+DBZ-05	INDUSTRIE TECHNIK	Frost protection thermostat -18.....+10°C set range 6m capillary, 15(8) A relay IP65, manual reset, 6 pcs mounting accessories	84,00 EUR

DIFFERENTIAL PRESSURE SWITCHES - For Air



DPS-DFK	HEXA CONTROLS	Duct mounting accessories, 2 pcs 75mm probe, 1 meter length PVC hose and 4 pcs screw	5,00 USD
DPS-200 USDPA	HEXA CONTROLS	Differential air pressure switch, 20-200Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
DPS-300 USDPA	HEXA CONTROLS	Differential air pressure switch, 30-300Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
DPS-400 USDPA	HEXA CONTROLS	Differential air pressure switch, 40-400Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
DPS-500 USDPA	HEXA CONTROLS	Differential air pressure switch, 50-500Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
DPS-100 USD0PA	HEXA CONTROLS	Differential air pressure switch, 100-1000Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
DPS-2500 USDPA	HEXA CONTROLS	Differential air pressure switch, 500-2500Pa mounting hose and 2 pcs 75mm probe are included	21,00 USD
ADPS-03-2-N-C	DWYER	Differential air pressure switch, 50-500Pa	31,00 USD
ADPS-04-2-N-C	DWYER	Differential air pressure switch, 30-400Pa	31,00 USD
ADPS-05-2-N-C	DWYER	Differential air pressure switch, 200-1000Pa	31,00 USD
ADPS-06-2-N-C	DWYER	Differential air pressure switch, 500-2500Pa	31,00 USD
ADPS-07-2-N-C	DWYER	Differential air pressure switch, 1000-4000Pa	31,00 USD
ADPS-08-2-N-C	DWYER	Differential air pressure switch, 20-200Pa	31,00 USD




DIFFERENTIAL PRESSURE SWITCHES - For Liquid

DXW-11-153-1	DWYER	Differential liquid pressure switch, 0.17 - 0.68 bar	139,00 USD
DXW-11-153-2	DWYER	Differential liquid pressure switch, 0.68 - 1.7 bar	139,00 USD
DXW-11-153-3	DWYER	Differential liquid pressure switch, 1.7 - 3.4 bar	139,00 USD
DXW-11-153-4	DWYER	Differential liquid pressure switch, 3.4 - 5.1 bar	139,00 USD



FLOW SWITCHES - For Air

AFS-2	HEXA CONTROLS	Flow switch for air	95,00 USD
V10	DWYER	Flow switch for air	174,00 USD
AAFS	DWYER	Flow switch for air, 15(8)A @ 250V AC, IP65, 60...550 m/h	146,00 USD
AVFS-1	DWYER	Thermal sensing, 230V AC, IP65, 60...6000 m/h	873,00 USD
AVFS-2	DWYER	Thermal sensing, 24V AC/DC, IP65, 60...6000 m/h	873,00 USD



FLOW SWITCHES - For Liquid

LFS-2	HEXA CONTROLS	Flow switch for liquid	95,00 USD
LFS-4	HEXA CONTROLS	Flow switch for liquid	95,00 USD
FS-2	DWYER	Flow switch for liquid	104,00 USD



LEVEL SWITCHES

LS-05	HEXA CONTROLS	Level / Floating switch, 5m cable	20,00 USD
LS-10	HEXA CONTROLS	Level / Floating switch, 10m cable	35,00 USD



CURRENT SWITCHES

CCS-121050	DWYER	Solid core, 0-200A set range, 0.3A, 135V AC/DC dry relay min. 0,5 accuracy, red warning led, self powered	30,00 USD
CCS-111100	DWYER	Solid core, 0-200A set range, 1A, 240V AC dry relay min. 1 accuracy, red and green warning led, self powered	37,00 USD
CCS-221100	DWYER	Split core model, 0-200A set range, 0.3A, 135V AC/DC dry relay min. 1 accuracy, red warning led, self powered	42,00 USD
CCS-211150	DWYER	Split core model, 0-200A set range, 1A, 240V AC dry relay min. 1,5 accuracy, red and green warning led, self powered	47,00 USD
CCS-131100	DWYER	Solid core, 0-200A set range, 0.3A, 135V AC/DC dry relay min. 1 accuracy, red and green warning led, self powered	38,00 USD
CCS-231150	DWYER	Split core model, 0-200A set range, 0.3A, 135V AC/DC dry relay min. 1,5 accuracy, red and green warning led, self powered	47,00 USD





SMOKE DETECTORS



SL-2000-P	AP-C	Photoelectric duct smoke detector, conventional, 4-wire, universal voltage	400,00 USD
FAST TUBE	AP-C	Modular sampling tube with coupling for smoke detectors, 24 in. (3pcs 20cm)	50,00 USD
UG-3-A50	CALECRO	Photoelectric duct smoke detector, 60cm probe, 230V AC	470,00 USD
UG-3-A40	CALECRO	Photoelectric duct smoke detector, 60cm probe, 24V AC/DC	440,00 USD

WATER LEAKAGE DETECTORS



WD3-LP-D2-A	DWYER	Water leakage detector, with buzzer	74,00 USD
WD	DWYER	Water leakage detector control module, 24V AC/DC	568,00 USD
TP05	DWYER	Probe for WD series control module, 5' (1.52 m)	171,00 USD
TP10	DWYER	Probe for WD series control module, 10' (3.05 m)	224,00 USD
TP15	DWYER	Probe for WD series control module, 15' (4.57 m)	347,00 USD
TP25	DWYER	Probe for WD series control module, 25' (7.62m)	485,00 USD
WD-AMX-1	OMNI	Water leakage detector, 12A relay, 24V AC/DC, with buzzer max. temperature 0...40°C	301,00 EUR
WD-AMX-2	OMNI	Water leakage detector, 12A röle çıkışlı, 230V AC, with buzzer max. sıcaklık 0-40°C	362,00 EUR
WD-CS-2M	OMNI	Water leakage detector probe (for WD-AMX), 2 meter	115,00 EUR
WD-CS-5M	OMNI	Water leakage detector probe (for WD-AMX), 5 meter	163,00 EUR
WD-CS-10M	OMNI	Water leakage detector probe (for WD-AMX), 10 meter	262,00 EUR
WD-CS-15M	OMNI	Water leakage detector probe (for WD-AMX), 15 meter	361,00 EUR
WD-CS-20M	OMNI	Water leakage detector probe (for WD-AMX), 20 meter	460,00 EUR
WD-CS-25M	OMNI	Water leakage detector probe (for WD-AMX), 25 meter	564,00 EUR
WD-PS	OMNI	Local water leakage detector, (for WD-AMX), 2 meter	115,00 EUR
WD-RS	OMNI	Rain water detector, (for WD-AMX), 2 meter, internal heater, 24V AC/DC	342,00 EUR
WD-RS-5M	OMNI	Rain water detector, (for WD-AMX), 5 meter, internal heater, 24V AC/DC	305,00 EUR



SENSORS & TRANSMITTERS



Temperature & Humidity Sensors

TEMPERATURE SENSORS - Outside

O-4E	DWYER	Outside temperature sensor, PT1000	29,00 USD
RHP-3S22	DWYER	Sintered filter, humidity & temp. sensor 3% accuracy	276,00 USD
RHP-3R22	DWYER	Radiation shield, humidity & temp. sensor, 3% accuracy	390,00 USD
RHP-5S22	DWYER	Sintered filter, humidity & temp. sensor, 5% accuracy	227,00 USD
RHP-5R22	DWYER	Radiation shield, humidity & temp. sensor, 5% accuracy	341,00 USD
BTT-O25-1	DWYER	Outside temperature sensor, 15.25cm probe, 4~20mA	139,00 USD
BTT-O25-2	DWYER	Outside temperature sensor, 15.25cm probe, 0~10V DC	139,00 USD
BTT-R25-1	DWYER	Radiation shield, temperature sensor 15.25cm, 4~20mA	226,00 USD
BTT-R25-2	DWYER	Radiation shield, temperature sensor 15.25cm, 0~10V DC	226,00 USD

TEMPERATURE SENSORS - Surface

S2-22	DWYER	Surface mount temperature sensor, PT1000 Ω RTD, plastic junction box	57,00 USD
TE-SNW-E	DWYER	Strap on surface mounted temperature sensor, Pt1000 Ω RTD	44,00 USD

TEMPERATURE SENSORS - Room

TE-END-E	DWYER	Wall mount temperature sensor, PT1000 Ohm RTD sensor	26,00 USD
BTT-E00-3	DWYER	Wall mount temperature transmitter with 4~20mA output	96,00 USD
BTT-E00-4	DWYER	Wall mount temperature transmitter with 0~10V DC output	96,00 USD

TEMPERATURE SENSORS - Duct

TE-DFG-A0644-00	DWYER	Duct mount temperature sensor, NTC10K	28,00 USD
TE-DFG-E0644-00	DWYER	Duct mount temperature sensor, PT1000	34,00 USD
BTT-D06-1	DWYER	Duct mount temperature sensor, 15.25 cm probe, 4~20mA	107,00 USD
BTT-D06-2	DWYER	Duct mount temperature sensor, 15.25 cm probe, 0~10V DC	107,00 USD


TEMPERATURE SENSORS - Immersion

TE-IBG-E0644-12	DWYER	Immersion temperature sensor, PT1000 1/2" probe 6"	42,00 USD
TE-TNS-N064N-12	DWYER	Thermowell, 6" length, 1/2" NPT internal connection, 3/4" NPT	38,00 USD
BTT-I06-1	DWYER	Immersion temperature sensor, 15.25 cm probe, 4~20mA	128,00 USD
BTT-I06-2	DWYER	Immersion temperature sensor, 15.25 cm probe, 0~10V DC	128,00 USD



COMBINED SENSORS


CDT-2E44	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Temperature sensor 0-50°C (4~20mA / 0~5V DC / 0~10V DC)	360,00 USD
CDT-2D40	DWYER	Duct mount Carbon dioxide CO2 Sensor, 0-2000ppm 4~20mA / 0~5V DC / 0~10V DC output, 24V AC/DC	352,00 USD
CDT-2D44	DWYER	Duct mount Carbon dioxide CO2 Sensor, 0-2000ppm, 4~20mA / 0~5V DC / 0~10V DC output, 24V AC/DC	376,00 USD
CDTR-2E4E4	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Humidity Sensor (4~20mA / 0~5V DC / 0~10V DC) & Temperature sensor (PT1000)	460,00 USD
CDTR-2E4E4-LCD	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Humidity Sensor (4~20mA / 0~5V DC / 0~10V DC) & Temperature sensor (PT1000), with display	515,00 USD
CDTR-2D404	DWYER	Duct mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Humidity Sensor (4~20mA / 0~5V DC / 0~10V DC)	505,00 USD
CDTR-2D4E4	DWYER	Duct mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Humidity Sensor (4~20mA / 0~5V DC / 0~10V DC) & Temperature sensor (PT1000)	533,00 USD
CDTV-2D404	DWYER	Duct mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Air Quality VOC sensor (4~20mA / 0~5V DC / 0~10V DC)	739,00 USD
CDTV-2D4E4	DWYER	Duct mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Temperature sensor (PT1000) & Air Quality VOC (4~20mA / 0~5V DC / 0~10V DC) sensor	517,00 USD
CDTV-2N404	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Air Quality VOC sensor (4~20mA / 0~5V DC / 0~10V DC)	669,00 USD
CDTV-2N404-LCD	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Air Quality VOC sensor (4~20mA / 0~5V DC / 0~10V DC), With display	739,00 USD
CDTV-2N4E4	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Temperature sensor (PT1000) & Air Quality VOC (4~20mA / 0~5V DC / 0~10V DC) sensor	680,00 USD
CDTV-2N4E4-LCD	DWYER	Wall mount Carbon dioxide CO2 (4~20mA / 0~5V DC / 0~10V DC) 2000ppm & Temperature sensor (PT1000) & Air Quality VOC (4~20mA / 0~5V DC / 0~10V DC) sensor, With display	750,00 USD



COMBINED SENSORS - Water Proof

WHT-310	DWYER	Water proof Humidity Sensor, 0-100% RH ±3% 20-80% RH accuracy, 24V DC 4-20mA output	236,00 USD
WHT-311	DWYER	Water proof humidity and temperature sensor, 0-100% RH ±3% 20-80% RH accuracy humidity, 40-60°C, ±0.3°C @ 25°C accuracy temperature, 24V DC humidity and for temperature 2 different 4-20mA output	214,00 USD
WHT-320	DWYER	Water proof Humidity Sensor, 0-100% RH ±3% 20-80% RH accuracy, 24V DC 0-10V DC output	214,00 USD
WHT-322	DWYER	Water proof humidity and temperature sensor, 0-100% RH ±3% 20-80% RH accuracy humidity, 40-60°C, ±0.3°C @ 25°C accuracy temperature, 24V DC humidity and for temperature 2 different 0-10V DC output	236,00 USD





LEVEL TRANSMITTERS

T30UXUC	BANNER	Ultrasonic level sensor, 3 meter sensing, 0~10V DC	600 USD,00
QT50ULBQ6	BANNER	Ultrasonic level sensor, 8 meter sensing, 0~10V DC	1.350,00 USD
SBLT2-3.5M-5M	DWYER	Immersion level sensor, 3,5 meter sensing 5 meter cable, 4~20mA	485,00 USD
SBLT2-5M-10M	DWYER	Immersion level sensor, 5 meter sensing 10 meter cable, 4~20mA	541,00 USD
SBLT2-10M-18M	DWYER	Immersion level sensor, 10 meter sensing 18 meter cable, 4~20mA	638,00 USD
ULSS-10	DWYER	Ultrasonic level sensor, 1.25 meter sensing ±0.2% accuracy, 0-10V AC 2-20mA output, 24V DC, IP68	1.358,00 USD
ULSM-10	DWYER	Ultrasonic level sensor, 3 meter sensing ±0.2% accuracy, 0-10V AC 2-20mA output, 24V DC, IP68	1.746,00 USD
ULSL-10	DWYER	Ultrasonic level sensor, 5.5 meter sensing ±0.2% accuracy, 0-10V AC 2-20mA output, 24V DC, IP68	2.126,00 USD

CURRENT TRANSDUCERS - 1% Accuracy

CCT40-202	DWYER	Current transducer, solid core, 10/20/50A, 0~5V DC	49,00 USD
CCT50-202	DWYER	Current transducer, solid core, 100/150/200A, 0~5V DC,	49,00 USD
CCT40-102	DWYER	Current transducer, split core, 10/20/50A, 0~5V DC	73,00 USD
CCT50-102	DWYER	Current transducer, split core, 100/150/200A, 0~5V DC	73,00 USD
CCT40-203	DWYER	Current transducer, solid core, 10/20/50A, 0~10V DC	49,00 USD
CCT50-203	DWYER	Current transducer, solid core, 100/150/200A, 0~10V DC	49,00 USD

WIND TRANSMITTERS

AV-W-S	OMNI	Wind speed sensor operating temperature range -20 +70°C	3.688,00 EUR
AV-W-AD	OMNI	Wind speed and direction sensor operating temperature range -20 +70°C	5.905,00 EUR

FLOW TRANSMITTERS - For Liquid

UFM-1	DWYER	Ultrasonic speed sensor for liquid, 4~20mA / 0~10V DC	7.216,00 USD
-------	-------	---	--------------

FLOW TRANSMITTERS - For Air

AVUL-5DA1	DWYER	Duct mount Air flow sensor, 5% accuracy 5/10/15/20 m/sc, 24V DC, 0~5V DC / 0~10V DC	305,00 USD
AVUL-5DA1-LCD	DWYER	Duct mount Air flow sensor with display 5% accuracy 5/10/15/20 m/sc	369,00 USD
AV-622	OMNI	Duct mount air flow sensor	719,00 EUR

OCCUPANCY SENSORS

OSC-200	DWYER	Occupancy sensor, ceiling mount 360° infrared 24V AC/DC, SPDT, 0.2 A @ 30V DC dry relay	305,00 USD
OSW-100	DWYER	Occupancy sensor, wall mount 110° Infrared 24V AC/DC, SPDT, 0.2 A @ 30V DC dry relay	264,00 USD





TEMPERATURE & HUMIDITY SENSOR - Wall Mount, 3% Accuracy

RHP-3E40	DWYER	Humidity sensor 3% accuracy, 4~20mA / 0~5V DC / 0~10V DC	198,00 USD
RHP-3E44	DWYER	Temperature & Humidity & Dew Point sensor 3% accuracy, 4~20mA / 0~5V DC / 0~10V DC	218,00 USD
RHP-3E44-LCD	DWYER	Temperature & Humidity & Dew Point sensor, with display 3% accuracy, 4~20mA / 0~5V DC / 0~10V DC	318,00 USD



TEMPERATURE & HUMIDITY SENSOR - Wall Mount, 5% Accuracy

RHP-5E40	DWYER	Humidity sensor 5% accuracy, 4~20mA / 0~5V DC / 0~10V DC	158,00 USD
RHP-5E44	DWYER	Temperature & Humidity & Dew Point sensor 5% accuracy, 4~20mA / 0~5V DC / 0~10V DC	178,00 USD
RHP-5E44-LCD	DWYER	Temperature & Humidity & Dew Point sensor, with display 5% accuracy, 4~20mA / 0~5V DC / 0~10V DC	279,00 USD



TEMPERATURE & HUMIDITY SENSOR - Duct Mount, 3% Accuracy

RHP-3M20	DWYER	Humidity sensor 3% accuracy, 0~10V DC	231,00 USD
RHP-3M22	DWYER	Humidity & Temperature sensor 3% accuracy, 0~10V DC	272,00 USD
RHP-3M22-LCD	DWYER	Humidity & Temperature sensor 3% accuracy, 0~10V DC, with display	363,00 USD



TEMPERATURE & HUMIDITY SENSOR - Duct Mount, 5% Accuracy

RHP-5M20	DWYER	Humidity sensor 5% accuracy, 0~10V DC	182,00 USD
RHP-5M22	DWYER	Humidity & Temperature sensor 5% accuracy, 0~10V DC	223,00 USD
RHP-5M22-LCD	DWYER	Humidity & Temperature sensor 5% accuracy, 0~10V DC, with display	316,00 USD



DIFFERENTIAL AIR PRESSURE TRANSMITTER

DPT-110-NA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-100Pa / 0-250Pa / 0-500Pa / 0-750Pa / 0-1000Pa ±50Pa / ±125Pa / ±250Pa / ±375Pa / ±500Pa	150,00 USD
DPT-112-NA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-1000Pa / 0-2500Pa / 0-5000Pa / 0-7500Pa / 0-10000Pa ±500Pa / ±1250Pa / ±2500Pa / ±3750Pa / ±5000Pa	150,00 USD
DPT-116-NA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-10Pa / 0-25Pa, 0-50Pa, 0-75Pa, 0-100Pa ±5Pa / ±12.5Pa / ±25Pa / ±37.5Pa / ±50Pa	150,00 USD



DIFFERENTIAL AIR PRESSURE TRANSMITTER - With Display

DPT-112-DA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-100Pa / 0-250Pa / 0-500Pa / 0-750Pa / 0-1000Pa ±50Pa / ±125Pa / ±250Pa / ±375Pa / ±500Pa	190,00 USD
DPT-110-DA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-1000Pa / 0-2500Pa / 0-5000Pa / 0-7500Pa / 0-10000Pa ±500Pa / ±1250Pa / ±2500Pa / ±3750Pa / ±5000Pa	190,00 USD
DPT-116-DA	HEXA CONTROLS	Differential air pressure transmitter, 24V DC/AC, 0~10V DC / 4~20mA 0-10Pa / 0-25Pa, 0-50Pa, 0-75Pa, 0-100Pa ±5Pa / ±12.5Pa / ±25Pa / ±37.5Pa / ±50Pa	190,00 USD





DIFFERENTIAL PRESSURE TRANSMITTER - For Air



MS2-W111	DWYER	MS2 Differential air pressure transmitter ±25 / ±40 / ±50 / ±125Pa 4~20mA / 0~5V DC / 0~10V DC	213,00 USD
MS2-W112	DWYER	Fark basınç Sensor, hava için +/- 250, +/- 500, +/- 750, +/- 1250Pa 4~20mA / 0~5V DC / 0~10V DC	213,00 USD
MS2-W101	DWYER	MS2 Differential air pressure transmitter 0-25Pa / 0-40Pa / 0-50Pa / 0-125Pa 4~20mA / 0~5V DC / 0~10V DC	184,00 USD
MS2-W102	DWYER	MS2 Differential air pressure transmitter 0-250 / 0-500Pa / 0-750Pa / 0-1250Pa 4~20mA / 0~5V DC / 0~10V DC	184,00 USD
MS2-W103	DWYER	MS2 Differential air pressure transmitter 0-2500Pa / 0-3500Pa / 0-5000Pa / 0-6975Pa 4~20mA / 0~5V DC / 0~10V DC	198,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Air, With Display



MS2-W111-LCD	DWYER	MS2 Differential air pressure transmitter, with display ±25Pa / ±40Pa / ±50Pa / ±125Pa 4~20mA / 0~5V DC / 0~10V DC	293,00 USD
MS2-W101-LCD	DWYER	MS2 Differential air pressure transmitter, with display 0-25Pa / 0-40Pa / 0-50Pa / 0-125Pa 4~20mA / 0~5V DC / 0~10V DC	263,00 USD
MS2-W102-LCD	DWYER	MS2 Differential air pressure transmitter, with display 0-250Pa / 0-500Pa / 0-750Pa / 0-1250Pa 4~20mA / 0~5V DC / 0~10V DC	263,00 USD
MS2-W103-LCD	DWYER	MS2 Differential air pressure transmitter, with display 0-2500Pa / 0-3500Pa / 0-5000Pa / 0-6975Pa 4~20mA / 0~5V DC / 0~10V DC	277,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Air, Communication



MS2-W111-MC	DWYER	Differential air pressure transmitter ±25Pa / ±40Pa / ±50Pa / ±125Pa 4~20mA / 0~5V DC / 0~10V DC, ModBus Communication	385,00 USD
MS2-W101-MC	DWYER	Differential air pressure transmitter 0-25Pa, 0-40Pa / 0-50Pa / 0-125Pa 4~20mA / 0~5V DC / 0~10V DC, ModBus Communication	333,00 USD
MS2-W102-MC	DWYER	Differential air pressure transmitter 0-250Pa / 0-500Pa / 0-750Pa / 0-1250Pa 4~20mA / 0~5V DC / 0~10V DC, ModBus Communication	333,00 USD
MS2-W103-MC	DWYER	Differential air pressure transmitter 0-2500Pa / 0-3500Pa / 0-5000Pa / 0-6975Pa 4~20mA / 0~5V DC / 0~10V DC, ModBus Communication	347,00 USD





DIFFERENTIAL PRESSURE TRANSMITTER - For Air, 4~20mA

MS-021	DWYER	Differential air pressure transmitter, 4~20mA, $\pm 25\text{Pa}$ / $\pm 50\text{Pa}$ / $\pm 100\text{Pa}$	212,00 USD
MS-111	DWYER	Differential air pressure transmitter, 4~20mA, 250Pa / 500Pa / 1.250Pa	178,00 USD
MS-121	DWYER	Differential air pressure transmitter, 4~20mA, 25Pa / 50Pa / 100Pa	178,00 USD
MS-131	DWYER	Differential air pressure transmitter, 4~20mA, 2000Pa	192,00 USD
MS-141	DWYER	Differential air pressure transmitter, 4~20mA, 3000Pa	192,00 USD
MS-151	DWYER	Differential air pressure transmitter, 4~20mA, 5000Pa	192,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Air, 0~10V DC

MS-221	DWYER	Differential air pressure transmitter, 0~10V DC, ± 25 / ± 50 / $\pm 100\text{Pa}$	212,00 USD
MS-311	DWYER	Differential air pressure transmitter, 0~10V DC, 250Pa / 500Pa / 1250Pa	178,00 USD
MS-321	DWYER	Differential air pressure transmitter, 0~10V DC, 25Pa / 50Pa / 100Pa	178,00 USD
MS-331	DWYER	Differential air pressure transmitter, 0~10V DC, 2000Pa	192,00 USD
MS-341	DWYER	Differential air pressure transmitter, 0~10V DC, 3000Pa	192,00 USD
MS-351	DWYER	Differential air pressure transmitter, 0~10V DC, 5000Pa	192,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Air, 4~20mA, With display

MS-021-LCD	DWYER	Differential air pressure transmitter, 4~20mA, $\pm 25\text{Pa}$ / $\pm 50\text{Pa}$ / $\pm 100\text{Pa}$	285,00 USD
MS-111-LCD	DWYER	Differential air pressure transmitter, 4~20mA, 250Pa / 500Pa / 1250Pa	251,00 USD
MS-121-LCD	DWYER	Differential air pressure transmitter, 4~20mA, 25Pa / 50Pa / 100Pa	251,00 USD
MS-131-LCD	DWYER	Differential air pressure transmitter, 4~20mA, 2000Pa	265,00 USD
MS-141-LCD	DWYER	Differential air pressure transmitter, 4~20mA, 3000Pa	265,00 USD
MS-151-LCD	DWYER	Differential air pressure transmitter, 4~20mA, 5000Pa	265,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Air, 0~10V DC, With display

MS-221-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, ± 25 / ± 50 / $\pm 100\text{Pa}$	285,00 USD
MS-311-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, 250Pa / 500Pa / 1250Pa	251,00 USD
MS-321-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, 25Pa / 50Pa / 100Pa	251,00 USD
MS-331-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, 2000Pa	265,00 USD
MS-341-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, 3000Pa	265,00 USD
MS-351-LCD	DWYER	Differential air pressure transmitter, 0~10V DC, 5000Pa	265,00 USD





DIFFERENTIAL PRESSURE TRANSMITTER - For Liquid, 4~20mA

629C-11-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 0.5 bar, 4~20mA	593,00 USD
629C-12-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 1 bar, 4~20mA	593,00 USD
629C-13-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 2 bar, 4~20mA	593,00 USD
629C-14-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 4 bar, 4~20mA	593,00 USD
629C-15-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 6 bar, 4~20mA	593,00 USD
629C-16-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 10 bar, 4~20mA	593,00 USD
629C-17-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 15 bar, 4~20mA	593,00 USD
629C-18-CH-P3-E1-S1	DWYER	Differential pressure transmitter, 20 bar, 4~20mA	593,00 USD



DIFFERENTIAL PRESSURE TRANSMITTER - For Liquid, 0~10V DC

629C-11-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 0.5 bar, 0~10V DC	593,00 USD
629C-12-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 1 bar, 0~10V DC	593,00 USD
629C-13-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 2 bar, 0~10V DC	593,00 USD
629C-14-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 4 bar, 0~10V DC	593,00 USD
629C-15-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 6 bar, 0~10V DC	593,00 USD
629C-16-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 10 bar, 0~10V DC	593,00 USD
629C-17-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 15 bar, 0~10V DC	593,00 USD
629C-18-CH-P3-E1-S3	DWYER	Differential pressure transmitter, 20 bar, 0~10V DC	593,00 USD



PRESSURE TRANSMITTER - For Liquid, 4~20mA

626-71-GH-P1-E1-S1	DWYER	0-2.5 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-90-GH-P1-E1-S1	DWYER	0-4 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-91-GH-P1-E1-S1	DWYER	0-6 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-75-GH-P1-E1-S1	DWYER	0-10 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-92-GH-P1-E1-S1	DWYER	0-16 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-93-GH-P1-E1-S1	DWYER	0-25 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-81-GH-P1-E1-S1	DWYER	0-40 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD




PRESSURE TRANSMITTER - For Liquid, 0~10V DC

626-71-GH-P1-E1-S5	DWYER	0-2.5 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-90-GH-P1-E1-S5	DWYER	0-4 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-91-GH-P1-E1-S5	DWYER	0-6 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-75-GH-P1-E1-S5	DWYER	0-10 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-92-GH-P1-E1-S5	DWYER	0-16 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-93-GH-P1-E1-S5	DWYER	0-25 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD
626-81-GH-P1-E1-S5	DWYER	0-40 bar, 0.25% accuracy, 1/4" NPT ex-threaded, IP66	147,00 USD



DAMPER ACTUATORS



DAMPER ACTUATORS - Non-Spring Return, On/Off & Floating



LM24A	BELIMO	On/Off & Floating control, 24V AC/DC, 5Nm	122,00 EUR
NM24A	BELIMO	On/Off & Floating control, 24V AC/DC, 10Nm	150,00 EUR
SM24A	BELIMO	On/Off & Floating control, 24V AC/DC, 20Nm	173,00 EUR
GM24A	BELIMO	On/Off & Floating control, 24V AC/DC, 40Nm	305,00 EUR
LM230A	BELIMO	On/Off & Floating control, 230V AC, 5Nm	122,00 EUR
NM230A	BELIMO	On/Off & Floating control, 230V AC, 10Nm	155,00 EUR
SM230A	BELIMO	On/Off & Floating control, 230V AC, 20Nm	176,00 EUR
GM230A	BELIMO	On/Off & Floating control, 230V AC, 40Nm	311,00 EUR
S1A	BELIMO	Auxiliary switch, one	51,00 EUR
S2A	BELIMO	Auxiliary switch, two	67,00 EUR
P1000A	BELIMO	Feedback 1000Ohm	81,00 EUR



DAMPER ACTUATORS - Non-Spring Return, Modulating



LM24A-SR	BELIMO	Modulating control, 24V AC/DC, 5Nm	166,00 EUR
NM24A-SR	BELIMO	Modulating control, 24V AC/DC, 10Nm	217,00 EUR
SM24A-SR	BELIMO	Modulating control, 24V AC/DC, 20Nm	246,00 EUR
GM24A-SR	BELIMO	Modulating control, 24V AC/DC, 40Nm	368,00 EUR
SGA24	BELIMO	Wall mount potentiometer	109,00 EUR
SGF24	BELIMO	Panel mount potentiometer	78,00 EUR
SGE24	BELIMO	Potentiometer	109,00 EUR



DAMPER ACTUATORS - Non-Spring Return, Fast



LMQ24A	BELIMO	On/Off & Floating control, 24V AC/DC, 4Nm, 2.5sec open/close	248,00 EUR
LMQ24A-SR	BELIMO	On/Off & Floating control, 24V AC/DC, 4Nm, 2.5sec open/close	256,00 EUR
NMQ24A	BELIMO	On/Off & Floating control, 24V AC/DC, 8Nm, 4sec open/close	273,00 EUR
NMQ24A-SR	BELIMO	On/Off & Floating control, 24V AC/DC, 8Nm, 4sec open/close	307,00 EUR
SMQ24A	BELIMO	On/Off & Floating control, 230V AC, 16Nm, 7sec open/close	297,00 EUR
SMQ24A-SR	BELIMO	On/Off & Floating control, 24V AC/DC, 16Nm, 7sec open/close	340,00 EUR





DAMPER ACTUATORS - Spring Return, 2Nm (0.5m²)

TF24	BELIMO	On/Off control, 24V AC/DC	160,00 EUR
TF24-S	BELIMO	On/Off control, 24V AC/DC, with auxiliary switch	189,00 EUR
TF230	BELIMO	On/Off control, 230V AC	173,00 EUR
TF230-S	BELIMO	On/Off control, 230V AC, with auxiliary switch	202,00 EUR
TF24-SR	BELIMO	Modulating control, 24V AC/DC	216,00 EUR
S2A-F	BELIMO	Auxiliary switch	100,00 EUR



DAMPER ACTUATORS - Spring Return, 4Nm (0.8m²)

LF24	BELIMO	On/Off control, 24V AC/DC	195,00 EUR
LF24-S	BELIMO	On/Off control, 24V AC/DC, with auxiliary switch	225,00 EUR
LF230	BELIMO	On/Off control, 230V AC	212,00 EUR
LF230-S	BELIMO	On/Off control, 230V AC, with auxiliary switch	241,00 EUR
LF24-SR	BELIMO	Modulating control, 24V AC/DC	264,00 EUR
S2A-F	BELIMO	Auxiliary switch	100,00 EUR



DAMPER ACTUATORS - Spring Return, 10Nm (2m²)

NF24A	BELIMO	On/Off control, 24V AC/DC	243,00 EUR
NF24A-S2	BELIMO	On/Off control, 24V AC/DC, with two auxiliary switch	276,00 EUR
NF230A	BELIMO	On/Off control, 230V AC	289,00 EUR
NF230A-S2	BELIMO	On/Off control, 230V AC, with two auxiliary switch	329,00 EUR
NF24A-SR	BELIMO	Modulating control, 24V AC/DCa	292,00 EUR
S2A-F	BELIMO	Auxiliary switch	100,00 EUR



DAMPER ACTUATORS - Spring Return, 20Nm (4m²)

SF24A	BELIMO	On/Off control, 24V AC/DC	300,00 EUR
SF24A-S2	BELIMO	On/Off control, 24V AC/DC, with two auxiliary switch	332,00 EUR
SF230A	BELIMO	On/Off control, 230V AC	345,00 EUR
SF230A-S2	BELIMO	On/Off control, 230V AC, with two auxiliary switch	377,00 EUR
SF24A-SR	BELIMO	Modulating control, 24V AC/DC	347,00 EUR
S2A-F	BELIMO	Auxiliary switch	100,00 EUR



DAMPER ACTUATORS - Spring Return, 30Nm (6m²)

EF24A	BELIMO	On/Off control, 24V AC/DC	606,00 EUR
EF24A-S2	BELIMO	On/Off control, 24V AC/DC, with two auxiliary switch	649,00 EUR
EF230A	BELIMO	On/Off control, 230V AC	696,00 EUR
EF230A-S2	BELIMO	On/Off control, 230V AC, with two auxiliary switch	740,00 EUR
EF24A-SR	BELIMO	Modulating control, 24V AC/DC	685,00 EUR
S2A-F	BELIMO	Auxiliary switch	100,00 EUR





DAMPER ACTUATORS - Non-Spring Return, 4Nm (1m2), 60-70sc



DM-04DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	97,00 USD
DM-04DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	104,00 USD
DM-04DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	118,00 USD
DM-04DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	125,00 USD
DM-04AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	132,00 USD

DAMPER ACTUATORS - Non-Spring Return, 8Nm (2m2), 80sc



DM-08DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	125,00 USD
DM-08DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	138,00 USD
DM-08DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	129,00 USD
DM-08DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	143,00 USD
DM-08AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	150,00 USD

DAMPER ACTUATORS - Non-Spring Return, 16Nm (4m2), 80sc



DM-16DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	125,00 USD
DM-16DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	139,00 USD
DM-16DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	129,00 USD
DM-16DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	143,00 USD
DM-16AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	150,00 USD

DAMPER ACTUATORS - Non-Spring Return, 24Nm (6m2), 125sc



DM-24DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	125,00 USD
DM-24DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	139,00 USD
DM-24DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	129,00 USD
DM-24DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	143,00 USD
DM-24AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	150,00 USD

DAMPER ACTUATORS - Non-Spring Return, 32Nm (6m2), 140sc



DM-32DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	144,00 USD
DM-32DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	165,00 USD
DM-32DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	150,00 USD
DM-32DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	172,00 USD
DM-32AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	145,00 USD

DAMPER ACTUATORS - Non-Spring Return, 40Nm (8m2), 140sc



DA-40DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	227,00 USD
DA-40DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	248,00 USD
DA-40DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	234,00 USD
DA-40DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	260,00 USD
DA-40AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	234,00 USD



DAMPER ACTUATORS - Spring Return, 5Nm (1m²)

DMSC-05DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	178,00 USD
DMSC-05DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	180,00 USD
DMSC-05DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	159,00 USD
DMSC-05DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	193,00 USD
DMSC-05AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	179,00 USD
DMSC-05AF-1	HEXA CONTROLS	Modulating control, 24V AC/DC, with auxiliary switch	187,00 USD



DAMPER ACTUATORS - Spring Return, 10Nm (2m²)


DMSC-10DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	193,00 USD
DMSC-10DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	213,00 USD
DMSC-10DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC, with auxiliary switch	198,00 USD
DMSC-10DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	219,00 USD
DMSC-10AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	289,00 USD
DMSC-10AF-1	HEXA CONTROLS	Modulating control, 24V AC/DC, with auxiliary switch	302,00 USD



DAMPER ACTUATORS - Spring Return, 15Nm (3m²)

DMSC-15DN-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC	241,00 USD
DMSC-15DN-2	HEXA CONTROLS	On/Off & Floating control, 230V AC	265,00 USD
DMSC-15DF-1	HEXA CONTROLS	On/Off & Floating control, 24V AC/DC With auxiliary switch	244,00 USD
DMSC-15DF-2	HEXA CONTROLS	On/Off & Floating control, 230V AC, with auxiliary switch	261,00 USD
DMSC-15AN-1	HEXA CONTROLS	Modulating control, 24V AC/DC	327,00 USD
DMSC-15AF-1	HEXA CONTROLS	Modulating control, 24V AC/DC, with auxiliary switch	341,00 USD





FIRE / SMOKE DAMPER ACTUATORS - Spring Return, 5Nm



SDM-05DF-1	HEXA CONTROLS	On/Off control, 5Nm (1m2), 24V AC/DC with auxiliary switch, 70-20 sec	202,00 USD
SDM-05DF-2	HEXA CONTROLS	On/Off control, 5Nm (1m2), 230V AC with auxiliary switch, 70-20 sec	204,00 USD
SDM-05DFS-1	HEXA CONTROLS	On/Off control, 5Nm (1m2), 24V AC/DC with auxiliary switch, Thermoelectric tripping sensor, 70-20 sec	210,00 USD
SDM-05DFS-2	HEXA CONTROLS	On/Off control, 5Nm (1m2), 230V AC with auxiliary switch, Thermoelectric tripping sensor, 70-20 sec	212,00 USD
SDM-05AFS-1	HEXA CONTROLS	Modulating control, (0~10V DC), 05Nm (1m2), 24V AC/DC with auxiliary switch, Thermoelectric tripping sensor, 70-20 sec	196,00 USD

FIRE / SMOKE DAMPER ACTUATORS - Spring Return, 10Nm



SDM-10DF-1	HEXA CONTROLS	On/Off control, 10Nm (2m2), 24V AC/DC with auxiliary switch, 75-20 sec	203,00 USD
SDM-10DF-2	HEXA CONTROLS	On/Off control, 10Nm (2m2), 230V AC with auxiliary switch, 75-20 sec	224,00 USD
SDM-10DFS-1	HEXA CONTROLS	On/Off control, 10Nm (2m2), 24V AC/DC with auxiliary switch, thermoelectric tripping sensor, 75-20 sec	213,00 USD
SDM-10DFS-2	HEXA CONTROLS	On/Off control, 10Nm (2m2) 230V AC with auxiliary switch, thermoelectric tripping sensor, 75-20 sec	234,00 USD
SDM-10AFS-1	HEXA CONTROLS	Modulating control, (0~10V DC), 10Nm (2m2), 24V AC/DC with auxiliary switch, thermoelectric tripping sensor, 75-20 sec	302,00 USD

FIRE / SMOKE DAMPER ACTUATORS - Spring Return, 15Nm



SDM-15DF-1	HEXA CONTROLS	On/Off control, 15Nm (3m2), 24V AC/DC with auxiliary switch, 75-20 sec	248,00 USD
SDM-15DF-2	HEXA CONTROLS	On/Off control, 15Nm (3m2), 230V AC with auxiliary switch, 75-20 sec	264,00 USD
SDM-15DFS-1	HEXA CONTROLS	On/Off control, 15Nm (3m2), 24V AC/DC with auxiliary switch, Thermoelectric tripping sensor, 75-20 sec	256,00 USD
SDM-15DFS-2	HEXA CONTROLS	On/Off control, 15Nm (3m2) 230V AC with auxiliary switch, Thermoelectric tripping sensor, 75-20 sec	272,00 USD
SDM-15AFS-1	HEXA CONTROLS	Modulating control, (0~10V DC), 15Nm (3m2), 24V AC/DC with auxiliary switch, Thermoelectric tripping sensor, 75-20 sec	253,00 USD

MINI DAMPER ACTUATORS - Non-Spring Return, On/Off Control



MDA35-24	HEXA CONTROLS	3,5Nm (1,6 m2), 24V AC, non-spring return, On/Off control 16sec open / 13sec close time, 3 wire 2 control, terminal connection	79,00 USD
MDA25-24	HEXA CONTROLS	2,5Nm (1,2 m2), 24V AC, non-spring return, On/Off control 8sec open / 6sec close time, 3 wire 2 control, terminal connection	79,00 USD
MDA35-230	HEXA CONTROLS	3,5Nm (1,6 m2), 230V AC, non-spring return, On/Off control 16sec open / 13sec close time, 3 wire 2 control, terminal connection	79,00 USD
MDA25-230	HEXA CONTROLS	2,5Nm (1,2 m2), 230V AC, non-spring return, On/Off control 8sec open / 6sec close time, 3 wire 2 control, terminal connection	79,00 USD

MINI DAMPER ACTUATORS - Non-Spring Return, On/Off Control



MDM35-24	HEXA CONTROLS	3,5Nm (1,6 m2), 24V AC, non-spring return, On/Off control 16sec open / 13sec close time, 3 wire 2 control	79,00 USD
MDM25-24	HEXA CONTROLS	2,5Nm (1,2 m2), 24V AC, non-spring return, On/Off control 8sec open / 6sec close time, 3 wire 2 control	79,00 USD
MDM35-230	HEXA CONTROLS	3,5Nm (1,6 m2), 230V AC, non-spring return, On/Off control 16sec open / 13sec close time, 3 wire 2 control	79,00 USD
MDM25-230	HEXA CONTROLS	2,5Nm (1,2 m2), 230V AC, non-spring return, On/Off control 8sec open / 6sec close time, 3 wire 2 control	79,00 USD



MOTORIZED CONTROL VALVES



2 Way Globe Valves

2 WAY GLOBE VALVES - Threaded, PN16 (5...+95°C)



VSB3T	CONTROLLI	PN16, 2 way in-threaded DN20 (3/4"), Kvs 6.3 valve body	108,00 EUR
VSB4T	CONTROLLI	PN16, 2 way in-threaded DN25 (1"), Kvs 10 valve body	115,00 EUR
VSB5T	CONTROLLI	PN16, 2 way in-threaded DN32 (1 1/4"), Kvs 14 valve body	121,00 EUR
VSB6T	CONTROLLI	PN16, 2 way in-threaded DN40 (1 1/2"), Kvs 18 valve body	149,00 EUR
VSB8T	CONTROLLI	PN16, 2 way in-threaded DN50 (2"), Kvs 25 valve body	186,00 EUR

2 WAY GLOBE VALVES - Threaded, PN16 (-10...+140°C)



2TGB15B3	CONTROLLI	PN16, 2 way in-threaded DN15 (1/2"), Kvs 1.6 valve body	81,00 EUR
2TGB15B2	CONTROLLI	PN16, 2 way in-threaded DN15 (1/2"), Kvs 2.5 valve body	83,00 EUR
2TGB15B	CONTROLLI	PN16, 2 way in-threaded DN15 (1/2"), Kvs 4.0 valve body	81,00 EUR
VSB3	CONTROLLI	PN16, 2 way in-threaded DN20 (3/4"), Kvs 6.3 valve body	108,00 EUR
VSB4	CONTROLLI	PN16, 2 way in-threaded DN25 (1"), Kvs 10 valve body	115,00 EUR
VSB5	CONTROLLI	PN16, 2 way in-threaded DN32 (1 1/4"), Kvs 16 valve body	121,00 EUR
VSB6	CONTROLLI	PN16, 2 way in-threaded DN40 (1 1/2"), Kvs 22 valve body	149,00 EUR
VSB8	CONTROLLI	PN16, 2 way in-threaded DN50 (2"), Kvs 30 valve body	186,00 EUR
VSB8A	CONTROLLI	PN16, 2 way in-threaded DN50 (2"), Kvs 40 valve body	210,00 EUR

2 WAY GLOBE VALVES - Flanged, PN16 (-10...+150°C)



2FGB25	CONTROLLI	PN16, 2 way flanged DN25 (1") kv10 valve body	311,00 EUR
2FGB32	CONTROLLI	PN16, 2 way flanged DN32 (1 1/4") kv19 valve body	332,00 EUR
2FGB40	CONTROLLI	PN16, 2 way flanged DN40 (1 1/2") kv20 valve body	338,00 EUR
2FGB50	CONTROLLI	PN16, 2 way flanged DN50 (2") kv32 valve body	350,00 EUR
2FGB65	CONTROLLI	PN16, 2 way flanged DN65 (2 1/2") kv63 valve body	435,00 EUR
2FGB80	CONTROLLI	PN16, 2 way flanged DN80 (3") kv100 valve body	523,00 EUR
2FGB100	CONTROLLI	PN16, 2 way flanged DN100 (4") kv130 valve body	714,00 EUR
2FGB125	CONTROLLI	PN16, 2 way flanged DN125 (5") kv200 valve body	1.047,00 EUR
2FGB150	CONTROLLI	PN16, 2 way flanged DN150 (6") kv300 valve body	1.419,00 EUR

2 WAY GLOBE VALVES - Flanged, PN16 (-10...+200°C)



2FGA15	CONTROLLI	PN16, 2 way flanged DN15 (1/2") kv4 valve body	318,00 EUR
2FGA20	CONTROLLI	PN16, 2 way flanged DN20 (3/4") kv6.3 valve body	343,00 EUR
2FGA25	CONTROLLI	PN16, 2 way flanged DN25 (1") kv10 valve body	453,00 EUR
2FGA32	CONTROLLI	PN16, 2 way flanged DN32 (1 1/4") kv19 valve body	468,00 EUR
2FGA40	CONTROLLI	PN16, 2 way flanged DN40 (1 1/2") kv20 valve body	561,00 EUR
2FGA50	CONTROLLI	PN16, 2 way flanged DN50 (2") kv32 valve body	612,00 EUR
2FGA65	CONTROLLI	PN16, 2 way flanged DN65 (2 1/2") kv63 valve body	1.012,00 EUR
2FGA80	CONTROLLI	PN16, 2 way flanged DN80 (3") kv100 valve body	1.285,00 EUR
2FGA100	CONTROLLI	PN16, 2 way flanged DN100 (4") kv130 valve body	2.017,00 EUR
2FGA200B	CONTROLLI	PN16, 2 way flanged DN200 (8") kv500 valve body	7.204,00 EUR



3 WAY GLOBE VALVES - Threaded, PN16 (5...+95°C)

VMB3T	CONTROLLI	PN16, 3 way in-threaded DN20 (3/4"), Kvs 6.3 valve body	111,00 EUR
VMB4T	CONTROLLI	PN16, 3 way in-threaded DN25 (1"), Kvs 10 valve body	115,00 EUR
VMB5T	CONTROLLI	PN16, 3 way in-threaded DN32 (1 1/4"), Kvs 14 valve body	121,00 EUR
VMB6T	CONTROLLI	PN16, 3 way in-threaded DN40 (1 1/2"), Kvs 18 valve body	134,00 EUR
VMB8T	CONTROLLI	PN16, 3 way in-threaded DN50 (2"), Kvs 25 valve body	165,00 EUR



3 WAY GLOBE VALVES - Threaded, PN16 (-10...+140°C)


3TGB15B3	CONTROLLI	PN16, 3 way in-threaded DN15 (1/2"), Kvs 1.6 valve body	81,00 EUR
3TGB15B2	CONTROLLI	PN16, 3 way in-threaded DN15 (1/2"), Kvs 2.5 valve body	81,00 EUR
3TGB15B	CONTROLLI	PN16, 3 way in-threaded DN15 (1/2"), Kvs 4.0 valve body	81,00 EUR
VMB3	CONTROLLI	PN16, 3 way in-threaded DN20 (3/4"), Kvs 6.3 valve body	111,00 EUR
VMB4	CONTROLLI	PN16, 3 way in-threaded DN25 (1"), Kvs 10 valve body	115,00 EUR
VMB5	CONTROLLI	PN16, 3 way in-threaded DN32 (1 1/4"), Kvs 16 valve body	121,00 EUR
VMB6	CONTROLLI	PN16, 3 way in-threaded DN40 (1 1/2"), Kvs 22 valve body	134,00 EUR
VMB8	CONTROLLI	PN16, 3 way in-threaded DN50 (2"), Kvs 30 valve body	165,00 EUR
VMB8A	CONTROLLI	PN16, 3 way in-threaded DN50 (2"), Kvs 40 valve body	190,00 EUR



3 WAY GLOBE VALVES - Flanged, PN16 (-10...+150°C)

3FGB25	CONTROLLI	PN16, 3 way flanged DN25 (1") kv10 valve body	224,00 EUR
3FGB32	CONTROLLI	PN16, 3 way flanged DN32 (1 1/4") kv19 valve body	290,00 EUR
3FGB40	CONTROLLI	PN16, 3 way flanged DN40 (1 1/2") kv25 valve body	290,00 EUR
3FGB50	CONTROLLI	PN16, 3 way flanged DN50 (2") kv32 valve body	316,00 EUR
3FGB65	CONTROLLI	PN16, 3 way flanged DN65 (2 1/2") kv63 valve body	396,00 EUR
3FGB80	CONTROLLI	PN16, 3 way flanged DN80 (3") kv100 valve body	476,00 EUR
3FGB100	CONTROLLI	PN16, 3 way flanged DN100 (4") kv130 valve body	785,00 EUR
3FGB125	CONTROLLI	PN16, 3 way flanged DN125 (5") kv200 valve body	935,00 EUR
3FGB150	CONTROLLI	PN16, 3 way flanged DN150 (6") kv300 valve body	1.222,00 EUR





2 WAY GLOBE VALVES - Flanged, PN25 (-10...+230°C)

2FSA25R4	CONTROLLI	PN25, 2 way DN25 (1"), Kvs4 valve body	514,00 EUR
2FSA25R7	CONTROLLI	PN25, 2 way DN25 (1"), Kvs6.3 valve body	514,00 EUR
2FSA25	CONTROLLI	PN25, 2 way DN25 (1"), Kvs10 valve body	514,00 EUR
2FSA32	CONTROLLI	PN25, 2 way DN32 (1 1/4"), Kvs16 valve body	898,00 EUR
2FSA40	CONTROLLI	PN25, 2 way DN40 (1 1/2"), Kvs25 valve body	952,00 EUR
2FSA50	CONTROLLI	PN25, 2 way DN50 (2"), Kvs40 valve body	1.065,00 EUR
2FSA65	CONTROLLI	PN25, 2 way DN65 (2 1/2"), Kvs63 valve body	1.647,00 EUR



2 WAY GLOBE VALVES - Flanged, PN40 (-10...+230°C)

2FAA15R2	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs1.6 valve body	582,00 EUR
2FAA15	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs4 valve body	582,00 EUR
2FAA20	CONTROLLI	PN40, 2 way DN20 (3/4"), Kvs6.3 valve body	680,00 EUR
2FAA25	CONTROLLI	PN40, 2 way DN25 (1"), Kvs10 valve body	709,00 EUR
2FAA32	CONTROLLI	PN40, 2 way DN32 (1 1/4"), Kvs16 valve body	1.049,00 EUR
2FAA40	CONTROLLI	PN40, 2 way DN40 (1 1/2"), Kvs22 valve body	1.267,00 EUR
2FAA50	CONTROLLI	PN40, 2 way DN50 (2"), Kvs32 valve body	1.492,00 EUR
2FAA65	CONTROLLI	PN40, 2 way DN65 (2 1/2"), Kvs70 valve body	2.418,00 EUR
2FAA80	CONTROLLI	PN40, 2 way DN80 (3"), Kvs110 valve body	3.292,00 EUR




2 WAY GLOBE VALVES - Flanged, PN40 (-20...+350°C)

2FAA15PR2	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs1.6 valve body	942,00 EUR
2FAA15P	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs4 valve body	942,00 EUR
2FAA20P	CONTROLLI	PN40, 2 way DN20 (3/4"), Kvs6.3 valve body	1.054,00 EUR
2FAA25P	CONTROLLI	PN40, 2 way DN25 (1"), Kvs10 valve body	1.098,00 EUR
2FAA32P	CONTROLLI	PN40, 2 way DN32 (1 1/4"), Kvs16 valve body	1.573,00 EUR
2FAA40P	CONTROLLI	PN40, 2 way DN40 (1 1/2"), Kvs22 valve body	1.900 EUR,00
2FAA50P	CONTROLLI	PN40, 2 way DN50 (2"), Kvs32 valve body	2.238,00 EUR
2FAA65P	CONTROLLI	PN40, 2 way DN65 (2 1/2"), Kvs70 valve body	3.385,00 EUR
2FAA80P	CONTROLLI	PN40, 2 way DN80 (3"), Kvs110 valve body	4.443,00 EUR



2 WAY STAINLESS STEEL GLOBE VALVES - Flanged, PN40 (-30...+180°C)

2FIA25	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs1.6 valve body	2.816,00 EUR
2FIA32	CONTROLLI	PN40, 2 way DN15 (1/2"), Kvs4 valve body	3.209,00 EUR
2FIA40	CONTROLLI	PN40, 2 way DN20 (3/4"), Kvs6.3 valve body	3.321,00 EUR
2FIA50	CONTROLLI	PN40, 2 way DN25 (1"), Kvs10 valve body	4.347,00 EUR
2FIA65	CONTROLLI	PN40, 2 way DN32 (1 1/4"), Kvs16 valve body	6.807,00 EUR
2FIA80	CONTROLLI	PN40, 2 way DN40 (1 1/2"), Kvs22 valve body	7.597,00 EUR
2FIA100	CONTROLLI	PN40, 2 way DN50 (2"), Kvs32 valve body	10.309,00 EUR



2 WAY GLOBE VALVES - Flanged, PN25 (-10...+230°C)

3FSA25R4	CONTROLLI	PN25, 3 way DN25 (1"), Kvs4 valve body	806,00 EUR
3FSA25R7	CONTROLLI	PN25, 3 way DN25 (1"), Kvs6.3 valve body	806,00 EUR
3FSA25	CONTROLLI	PN25, 3 way DN25 (1"), Kvs10 valve body	806,00 EUR
3FSA32	CONTROLLI	PN25, 3 way DN32 (1 1/4"), Kvs16 valve body	1.035,00 EUR
3FSA40	CONTROLLI	PN25, 3 way DN40 (1 1/2"), Kvs25 valve body	1.048,00 EUR
3FSA50	CONTROLLI	PN25, 3 way DN50 (2"), Kvs40 valve body	1.329,00
3FSA65	CONTROLLI	PN25, 3 way DN65 (2 1/2"), Kvs63 valve body	1.771,00



2 WAY GLOBE VALVES - Flanged, PN40 (-10...+230°C)

3FAA25R4	CONTROLLI	PN25, 3 way DN25 (1"), Kvs4 valve body	1.304,00 EUR
3FAA25R7	CONTROLLI	PN25, 3 way DN25 (1"), Kvs6.3 valve body	1.304,00 EUR
3FAA25	CONTROLLI	PN25, 3 way DN25 (1"), Kvs10 valve body	1.304,00 EUR
3FAA32	CONTROLLI	PN25, 3 way DN32 (1 1/4"), Kvs16 valve body	1.612,00 EUR
3FAA40	CONTROLLI	PN25, 3 way DN40 (1 1/2"), Kvs25 valve body	2.109,00 EUR
3FAA50	CONTROLLI	PN25, 3 way DN50 (2"), Kvs40 valve body	2.774,00 EUR
3FAA65	CONTROLLI	PN25, 3 way DN65 (2 1/2"), Kvs63 valve body	3.761,00 EUR
3FAA80	CONTROLLI	PN25, 3 way DN80 (3"), Kvs100 valve body	4.064,00 EUR
3FAA100	CONTROLLI	PN25, 3 way DN100 (4"), Kvs140 valve body	6.448,00 EUR



2 WAY GLOBE VALVES - Flanged, PN40 (-30...+350°C)

3FAA25PR4	CONTROLLI	PN40, 3 way DN25 (1"), Kvs4 valve body	1.670,00 EUR
3FAA25PR7	CONTROLLI	PN40, 3 way DN25 (1"), Kvs6.3 valve body	1.670,00 EUR
3FAA25P	CONTROLLI	PN40, 3 way DN25 (1"), Kvs10 valve body	1.670,00 EUR
3FAA32P	CONTROLLI	PN40, 3 way DN32 (1 1/4"), Kvs16 valve body	2.351,00 EUR
3FAA40P	CONTROLLI	PN40, 3 way DN40 (1 1/2"), Kvs22 valve body	2.486,00 EUR
3FAA50P	CONTROLLI	PN40, 3 way DN50 (2"), Kvs32 valve body	3.050,00 EUR
3FAA65P	CONTROLLI	PN40, 3 way DN65 (2 1/2"), Kvs70 valve body	4.165,00 EUR
3FAA80P	CONTROLLI	PN40, 3 way DN80 (3"), Kvs110 valve body	4.467,00 EUR
3FAA100P	CONTROLLI	PN40, 3 way DN100 (4"), Kvs140 valve body	6.851,00 EUR



2 WAY STAINLESS STEEL GLOBE VALVES - Flanged, PN40 (-30...+180°C)

3FIA25	CONTROLLI	PN40, 3 way DN15 (1/2"), Kvs1.6 valve body	2.922,00 EUR
3FIA32	CONTROLLI	PN40, 3 way DN15 (1/2"), Kvs4 valve body	3.365,00 EUR
3FIA40	CONTROLLI	PN40, 3 way DN20 (3/4"), Kvs6.3 valve body	3.522,00 EUR
3FIA50	CONTROLLI	PN40, 3 way DN25 (1"), Kvs10 valve body	4.560,00 EUR
3FIA65	CONTROLLI	PN40, 3 way DN32 (1 1/4"), Kvs16 valve body	7.387,00 EUR
3FIA80	CONTROLLI	PN40, 3 way DN40 (1 1/2"), Kvs22 valve body	7.997,00 EUR
3FIA100	CONTROLLI	PN40, 3 way DN50 (2"), Kvs32 valve body	10.694,00 EUR









LINEAR ATUATORS - Non-Spring Returns

	AG52	CONTROLLI	Actuator coupling linkage device for MVE with VSB-VMB, VSB.F-VMB.F	13,00 EUR
	MVT403	CONTROLLI	Floating control actuator, 24V AC, 200N for the sizes between DN15...DN40 for VSB.T & VMB.T series valves	100,00 EUR
	MVT203	CONTROLLI	Floating control actuator, 230V AC, 200N for the sizes between DN15...DN40 for VSB.T & VMB.T series valves	111,00 EUR
	MVT503	CONTROLLI	Modulating control, 24V AC, 300N for the sizes between DN15...DN50 for VSB.T & VMB.T series valves	152,00 EUR
	MVB52	CONTROLLI	Modulating control, 24V AC/DC, 400N for the sizes between DN15...DN50 for VSB & VMB series valves	385,00 EUR
	MVE506S	CONTROLLI	Floating & Modulating control, 24V AC/DC, 600N for VSB / VMB / 2F / 3F series	280,00 EUR
	MVE506	CONTROLLI	Floating & Modulating control, 24V AC/DC, 600N for VSB / VMB / 2F / 3F series	290,00 EUR
	MVE510	CONTROLLI	Floating & Modulating control, 24V AC/DC, 1000N for VSB / VMB / 2F / 3F series	325,00 EUR
	MVE515	CONTROLLI	Floating & Modulating control, 24V AC/DC, 1500N for VSB / VMB / 2F / 3F series	370,00 EUR
	MVE522	CONTROLLI	Floating & Modulating control, 24V AC/DC, 2200N for VSB / VMB / 2F / 3F series	470,00 EUR
	MVE206	CONTROLLI	Floating & Modulating control, 230V AC, 600N for VSB / VMB / 2F / 3F series	372,00 EUR
	MVE210	CONTROLLI	Floating & Modulating control, 230V AC, 1000N for VSB / VMB / 2F / 3F series	418,00 EUR
	MVE215	CONTROLLI	Floating & Modulating control, 230V AC, 1500N for VSB / VMB / 2F / 3F series	456,00 EUR
	MVE222	CONTROLLI	Floating & Modulating control, 230V AC, 2200N for VSB / VMB / 2F / 3F series	470,00 EUR

LINEAR ATUATORS - Emergency Return Function

	MVE506R	CONTROLLI	Floating & Modulating control, 24V AC/DC, 600N for VSB / VMB / 2F / 3F series	357,00 EUR
	MVE510R	CONTROLLI	Floating & Modulating control, 24V AC/DC, 1000N for VSB / VMB / 2F / 3F series	391,00 EUR
	MVE515R	CONTROLLI	Floating & Modulating control, 24V AC/DC, 1500N for VSB / VMB / 2F / 3F series	427,00 EUR
	MVE206R	CONTROLLI	Floating & Modulating control, 230V AC, 600N for VSB / VMB / 2F / 3F series	449,00 EUR
	MVE210R	CONTROLLI	Floating & Modulating control, 230V AC, 1000N for VSB / VMB / 2F / 3F series	483,00 EUR
	MVE215R	CONTROLLI	Floating & Modulating control, 230V AC, 1500N for VSB / VMB / 2F / 3F series	519,00 EUR



2 WAY VALVES - PN10, Max 100°C

100G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN100 (4") valve body	6.727,00 EUR
125G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN125 (5") valve body	7.363,00 EUR
150G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN150 (6") valve body	8.061,00 EUR
200G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN200 (8") Kvs1100 valve body	9.875,00 EUR
250G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN250 (10") Kvs1800 valve body	11.119,00 EUR
300G2FM-TR	CLORIUS CONTROLS	PN16 2 way flanged DN300 (12") Kvs2450 valve body	12.489,00 EUR
350G2FM-TR	CLORIUS CONTROLS	PN10 2 way flanged DN350 (14") Kvs3350 valve body	13.143,00 EUR
400G2FM-TR	CLORIUS CONTROLS	PN10 2 way flanged DN400 (16") Kvs3850 valve body	14.100 EUR,00
450G2FM-TR	CLORIUS CONTROLS	PN10 2 way flanged DN450 (18") Kvs4300 valve body	18.878,00 EUR
500G2FM-TR	CLORIUS CONTROLS	PN10 2 way flanged DN500 (20") Kvs5050 valve body	21.435,00 EUR



3 WAY VALVES - PN10, Max 100°C


100G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN100 (8") valve body	5.424,00 EUR
125G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN125 (10") valve body	6.051,00 EUR
150G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN150 (12") valve body	6.749,00 EUR
200G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN200 (8") Kvs800 valve body	8.551,00 EUR
250G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN250 (10") Kvs1500 valve body	9.816,00 EUR
300G3FM-TR	CLORIUS CONTROLS	PN16 3 way flanged DN300 (12") Kvs2000 valve body	11.138,00 EUR
350G3FM-TR	CLORIUS CONTROLS	PN10 3 way flanged DN350 (14") Kvs2350 valve body	11.913,00 EUR
400G3FM-TR	CLORIUS CONTROLS	PN10 3 way flanged DN400 (16") Kvs3050 valve body	13.069,00 EUR
450G3FM-TR	CLORIUS CONTROLS	PN10 3 way flanged DN450 (18") Kvs3680 valve body	16.609,00 EUR
500G3FM-TR	CLORIUS CONTROLS	PN10 3 way flanged DN500 (20") Kvs4150 valve body	18.859,00 EUR



ACTUATORS

CAR060	CLORIUS CONTROLS	On/Off & Floating control actuator, 230V AC, 588Nm for the sizes between DN200, DN250	4.560,00 EUR
CAR100	CLORIUS CONTROLS	On/Off & Floating control actuator, 230V AC, 981Nm for the sizes between DN300, DN350, DN400	5.155,00 EUR
CAR200	CLORIUS CONTROLS	On/Off & Floating control actuator, 230V AC, 1962Nm for the sizes between DN450, DN500, DN600	8.070,00 EUR
CAR060+PCU	CLORIUS CONTROLS	Modulating control, 230V AC, 588Nm for the sizes between DN200, DN250	6.289,00 EUR
CAR100+PCU	CLORIUS CONTROLS	Modulating control, 230V AC, 981Nm for the sizes between DN300, DN350, DN400	6.806,00 EUR
CAR200+PCU	CLORIUS CONTROLS	Modulating control, 230V AC, 1962Nm for the sizes between DN450, DN500, DN600	12.429,00 EUR





BUTTERFLY VALVES - On/Off Control, 230V AC



BFV-040-D	CONVALVE	DN40 (1 1/2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	340,00 USD
BFV-050-D	CONVALVE	DN50 (2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	347,00 USD
BFV-065-D	CONVALVE	DN65 (2 1/2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	446,00 USD
BFV-080-D	CONVALVE	DN80 (3") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	453,00 USD
BFV-100-D	CONVALVE	DN100 (4") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	594,00 USD
BFV-125-D	CONVALVE	DN125 (5") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	710,00 USD
BFV-150-D	CONVALVE	DN150 (6") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	759,00 USD
BFV-200-D	CONVALVE	DN200 (8") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	1.122,00 USD
BFV-250-D	CONVALVE	DN250 (10") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	1.617,00 USD
BFV-300-D	CONVALVE	DN300 (12") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, On/Off control	1.749,00 USD



BUTTERFLY VALVES - Modulating Control, 24V AC




BFV-040-M	CONVALVE	DN40 (1 1/2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	967,00 USD
BFV-050-M	CONVALVE	DN50 (2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	974,00 USD
BFV-065-M	CONVALVE	DN65 (2 1/2") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	990,00 USD
BFV-080-M	CONVALVE	DN80 (3") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.023,00 USD
BFV-100-M	CONVALVE	DN100 (4") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.056,00 USD
BFV-125-M	CONVALVE	DN125 (5") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.278,00 USD
BFV-150-M	CONVALVE	DN150 (6") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.291,00 USD
BFV-200-M	CONVALVE	DN200 (8") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.617,00 USD
BFV-250-M	CONVALVE	DN250 (10") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	1.921,00 USD
BFV-300-M	CONVALVE	DN300 (12") PN16, wafer type, IP67 GG cast iron body, stainless steel clapper, With EPDM gasket, Modulating (4-20mA) control	2.462,00 USD





GAS SENSORS



AMMONIA (NH₃) SENSORS - Pellistor, 2~10V DC / 4~20mA, IP65

MC2-0-P3408-A-0	MSR	Wall mount Ammonia (NH ₃) Sensor 0-100%LEL, cartridge	353,00 EUR
MC2-A-P3408-A-0	MSR	Wall mount Ammonia (NH ₃) Sensor 0-100%LEL, 90X130X57mm	393,00 EUR
MC2-B-P3408-A-0	MSR	Duct mount Ammonia (NH ₃) Sensor 0-100%LEL, 90X130X57mm	573,00 EUR

ETHYLENE (C₂H₄) SENSOR - Pellistor, 2~10V DC / 4~20mA, IP65

MC2-0-P3410-A-0	MSR	Wall mount Ethylen (C ₂ H ₄) Sensor 0-100%LEL, cartridge	353,00 EUR
MC2-A-P3410-A-0	MSR	Wall mount Ethylen (C ₂ H ₄) Sensor 0-100%LEL, 90X130X57mm	393,00 EUR
MC2-B-P3410-A-0	MSR	Duct mount Ethylen (C ₂ H ₄) Sensor 0-100%LEL, 90X130X57mm	573,00 EUR

LPG SENSOR - Pellistor, 2~10V DC / 4~20mA, IP65

MC2-0-P3402-A-0	MSR	Wall mount LPG Sensor 0-100%LEL, cartridge	322,00 EUR
MC2-A-P3402-A-0	MSR	Wall mount LPG Sensor 0-100%LEL, 90X130X57mm	362,00 EUR
MC2-B-P3402-A-0	MSR	Duct mount LPG Sensor 0-100%LEL, 90X130X57mm	542,00 EUR

METHAN (CH₄) SENSOR - Pellistor, 2~10V DC / 4~20mA, IP65

MC2-0-P3400-A-0	MSR	Wall mount Methan (CH ₄) Sensor 0-100%LEL, cartridge	322,00 EUR
MC2-A-P3400-A-0	MSR	Wall mount Methan (CH ₄) Sensor 0-100%LEL, 90X130X57mm	362,00 EUR
MC2-B-P3400-A-0	MSR	Duct mount Methan (CH ₄) Sensor 0-100%LEL, 90X130X57mm	542,00 EUR

HYDROGEN (H₂) SENSOR - Pellistor, 2~10V DC / 4~20mA, IP65

MC2-0-P3440-A-0	MSR	Wall mount Hydrogen (H ₂) Sensor 0-100%LEL, cartridge	322,00 EUR
MC2-A-P3440-A-0	MSR	Wall mount Hydrogen (H ₂) Sensor 0-100%LEL, 90X130X57mm	362,00 EUR
MC2-B-P3440-A-0	MSR	Duct mount Hydrogen (H ₂) Sensor 0-100%LEL, 90X130X57mm	542,00 EUR

OXIGEN (O₂) SENSOR - Electrochemical, 2~10V DC / 4~20mA, IP65

MC2-0-E1195-A-2	MSR	Wall mount Oxigen (O ₂) Sensor 0-25 vol%, cartridge	373,00 EUR
MC2-A-E1195-A-2	MSR	Wall mount Oxigen (O ₂) Sensor 0-25 vol%, 90X130X57mm	413,00 EUR
MC2-B-E1195-A-2	MSR	Duct mount Oxigen (O ₂) Sensor 0-25 vol%, 90X130X57mm	593,00 EUR

OZONE (O₃) SENSOR - Electrochemical, 2~10V DC / 4~20mA, IP65

MC2-0-E1190-A-0	MSR	Wall mount Ozone (O ₃) Sensor 0-5ppm, cartridge	1.080,00 EUR
MC2-A-E1190-A-0	MSR	Wall mount Ozone (O ₃) Sensor 0-5ppm, 90X130X57mm	1.120,00 EUR
MC2-B-E1190-A-0	MSR	Duct mount Ozone (O ₃) Sensor 0-5ppm, 90X130X57mm	1.300,00 EUR



CARBON MONOXIDE (CO) SENSOR - Electrochemical, 2~10V DC / 4~20mA

MC2-0-E1110-F-0	MSR	Wall mount Carbon monoxide (CO) Sensor 0-300ppm, cartridge	304,00 EUR
MC2-A-E1110-F-0	MSR	Wall mount Carbon monoxide (CO) Sensor 0-300ppm, 90X130X57mm	343,00 EUR
MC2-B-E1110-F-0	MSR	Duct mount Carbon monoxide (CO) Sensor 0-300ppm, 90X130X57mm	524,00 EUR



CARBON DIOXIDE (CO2) SENSOR - Infrared, 2~10V DC / 4~20mA, IP65

MC2-0-I1164-B-0	MSR	Wall mount Carbon dioxide (CO2) Sensor 0-5vol%, cartridge	520,00 EUR
MC2-A-I1164-B-0	MSR	Wall mount Carbon dioxide (CO2) Sensor 0-5vol%, 90X130X57mm	554,00 EUR
MC2-B-I1164-B-0	MSR	Duct mount Carbon dioxide (CO2) Sensor 0-5vol%, 90X130X57mm	722,00 EUR



NITROGEN DIOXIDE (NO2) SENSOR - Electrochemical, 2~10V DC / 4~20mA, IP65

MC2-0-E1130-C-0	MSR	Wall mount Nitrogen dioxide (NO2) Sensor 0-30ppm, cartridge	461,00 EUR
MC2-A-E1130-C-0	MSR	Wall mount Nitrogen dioxide (NO2) Sensor 0-30ppm, 90X130X57mm	501,00 EUR
MC2-B-E1130-C-0	MSR	Duct mount Nitrogen dioxide (NO2) Sensor 0-30ppm, 90X130X57mm	681,00 EUR



NITROGEN OXIDE (NO) SENSOR - Electrochemical, 2~10V DC / 4~20mA, IP65

MC2-0-E1129-C-0	MSR	Wall mount Nitrogen oxide (NO) Sensor 0-100ppm, cartridge	941,00 EUR
MC2-A-E1129-C-0	MSR	Wall mount Nitrogen oxide (NO) Sensor 0-100ppm, 90X130X57mm	985,00 EUR
MC2-B-E1129-C-0	MSR	Duct mount Nitrogen oxide (NO) Sensor 0-100ppm, 90X130X57mm	1.198,00 EUR



SULPHURE DIOXIDE (SO2) SENSOR - Electrochemical, 2~10V DC / 4~20mA

MC2-0-E1196-B-0	MSR	Wall mount Sulphure dioxide (SO2) Sensor 0-20ppm, cartridge	1.312,00 EUR
MC2-A-E1196-B-0	MSR	Wall mount Sulphure dioxide (SO2) Sensor 0-20ppm, 90X130X57mm	1.352,00 EUR
MC2-B-E1196-B-0	MSR	Duct mount Sulphure dioxide (SO2) Sensor 0-20ppm, 90X130X57mm	1.532,00 EUR



HYDROGEN SULPHIDE (H2S) SENSOR - Electrochemical, 2~10V DC / 4~20mA

MC2-0-E1197-A-0	MSR	Wall mount Hydrogen Sulphide (H2S) Sensor 0-50ppm, cartridge	1.011,00 EUR
MC2-A-E1197-A-0	MSR	Wall mount Hydrogen Sulphide (H2S) Sensor 0-50ppm, 90X130X57mm	1.050,00 EUR
MC2-B-E1197-A-0	MSR	Duct mount Hydrogen Sulphide (H2S) Sensor 0-50ppm,	1.231,00 EUR



FREON (R410a) SENSOR - Electrochemical, 2~10V DC / 4~20mA, IP65

MC2-0-S2080-05-A-0	MSR	Wall mount Freon (R410a) Sensor 20-2000ppm, cartridge	368,00 EUR
MC2-A-S2080-05-A-0	MSR	Wall mount Freon (R410a) Sensor 20-2000ppm, 90X130X57mm	408,00 EUR
MC2-B-S2080-05-A-0	MSR	Duct mount Freon (R410a) Sensor 20-2000ppm, 90X130X57mm	588,00 EUR






EXPLOSIVE & TOXIC GASES - ModBus Communication, 2~10V DC / 4~20mA, IP65



SC2-P3485-A+SB2-A-20040000	MSR	Acetone (C3H6O) sensor 0-100%LEL	621,00 EUR
SC2-P3405-A+SB2-A-20040000	MSR	Acetylene (C2H2) sensor 0-100%LEL	621,00 EUR
SC2-P3408-A+SB2-A-20040000	MSR	Ammonia (NH3) sensor 0-100%LEL	621,00 EUR
SC2-P3496-A+SB2-A-20040000	MSR	Petrol vapour sensor 0-100%LEL	621,00 EUR
SC2-P3460-A+SB2-A-20040000	MSR	Butane (C4H10) sensor 0-100%LEL	621,00 EUR
SC2-P3472-A+SB2-A-20040000	MSR	Cyclopentane (C5H10) sensor 0-100%LEL	621,00 EUR
SC2-P3427-A+SB2-A-20040000	MSR	Ethyl Acetate (C4H8O2) sensor 0-100%LEL	621,00 EUR
SC2-P3425-A+SB2-A-20040000	MSR	Ethanol (C2H5OH) sensor 0-100%LEL	621,00 EUR
SC2-P3410-A+SB2-A-20040000	MSR	Ethylene (C2H4) sensor 0-100%LEL	621,00 EUR
SC2-P3491-A+SB2-A-20040000	MSR	Heptane (C7H16) sensor 0-100%LEL	621,00 EUR
SC2-P3435-A+SB2-A-20040000	MSR	Hexane (C6H14) sensor 0-100%LEL	621,00 EUR
SC2-P3476-A+SB2-A-20040000	MSR	n-Pentane (C5H12) sensor 0-100%LEL	621,00 EUR
SC2-P3482-A+SB2-A-20040000	MSR	Propanol (C3H8O) sensor 0-100%LEL	621,00 EUR
SC2-P3402-A+SB2-A-20040000	MSR	LPG sensor 0-100%LEL	574,00 EUR
SC2-P3400-A+SB2-A-20040000	MSR	Methan (CH4) sensor 0-100%LEL	574,00 EUR
SC2-P3450-A+SB2-A-20040000	MSR	Methanol (CH3OH) sensor 0-100%LEL	621,00 EUR
SC2-P3458-A+SB2-A-20040000	MSR	Methyl Ethyl Ketone (C4H8O) sensor 0-100%LEL	621,00 EUR
SC2-P3475-A+SB2-A-20040000	MSR	Pentane (C5H12) sensor 0-100%LEL	621,00 EUR
SC2-P3480-A+SB2-A-20040000	MSR	Propane (C3H8) sensor 0-100%LEL	574,00 EUR
SC2-P3484-A+SB2-A-20040000	MSR	Propanol (C3H8O) sensor 0-100%LEL	621,00 EUR
SC2-P3490-A+SB2-A-20040000	MSR	Toluen (C7H8) sensor 0-100%LEL	621,00 EUR
SC2-P3440-A+SB2-A-20040000	MSR	Hydrogen (H2) sensor 0-100%LE	574,00 EUR
SC2-E1110-F+SB2-A-20040000	MSR	Carbon monoxide (CO) sensor 0-300ppm	556,00 EUR
SC2-E1125-C+SB2-A-20040000	MSR	Ammonia (NH3) sensor 0-300ppm	1.000,00 EUR
SC2-E1129-B+SB2-A-20040000	MSR	Nitrogen oxide (NO) sensor 0-20ppm	866,00 EUR
SC2-E1130-C+SB2-A-20040000	MSR	Nitrogen dioxide (NO2) sensor 0-30ppm	866,00 EUR
SC2-E1181-A+SB2-A-20040000	MSR	Chlorine dioxide (ClO2) sensor 0-1ppm	866,00 EUR
SC2-E1183-C+SB2-A-20040000	MSR	Hydrogen cyanide (HCN) sensor 0-100ppm	866,00 EUR
SC2-E1185-B+SB2-A-20040000	MSR	Formaldehyde (CH2O) sensor 0-10ppm	866,00 EUR
SC2-E1187-A+SB2-A-20040000	MSR	Phosphine (PH3) sensor 0-20ppm	866,00 EUR
SC2-E1188-A+SB2-A-20040000	MSR	Silane (SiH4) sensor 0-50ppm	866,00 EUR
SC2-I1164-A+SB2-A-20040000	MSR	Carbon dioxide (CO2) sensor 0-2000ppm	866,00 EUR



FREQUENCY INVERTERS



OPTIDRIVE ECO FREQUENCY INVERTERS - 200...240V AC, EMC Filter



ODV-3-220043-1F12-SN	INVERTEK	0,75 kW 4.3A, IP20, 1 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 173X83X123mm, ModBus & CanOpen	616,00 EUR
ODV-3-220070-1F12-SN	INVERTEK	1,5 kW 7A, IP20, 1 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 173X83X123mm, ModBus & CanOpen	641,00 EUR
ODV-3-220105-1F12-SN	INVERTEK	2,2 kW 10.5A, IP20, 1 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 173X83X123mm, ModBus & CanOpen	699,00 EUR

OPTIDRIVE ECO FREQUENCY INVERTERS - 380-400V AC, EMC Filter



ODV-3-140022-3F12-SN	INVERTEK	0,75 kW 2.2A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 221X110X150mm, ModBus & CanOpen	532,00 EUR
ODV-3-240041-3F12-SN	INVERTEK	1,5 kW 4.1A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 221X110X150mm, ModBus & CanOpen	536,00 EUR
ODV-3-240058-3F12-SN	INVERTEK	2,2 kW 5.8A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 221X110X150mm, ModBus & CanOpen	546,00 EUR
ODV-3-240095-3F12-SN	INVERTEK	4 kW 9.5A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 221X110X150mm, ModBus & CanOpen	565,00 EUR
ODV-3-340140-3F12-SN	INVERTEK	5,5 kW 14A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 261X131X175mm, ModBus & CanOpen	732,00 EUR
ODV-3-340180-3F12-SN	INVERTEK	7,5 kW 18A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 261X131X175mm, ModBus & CanOpen	619,00 EUR
ODV-3-340240-3F12-SN	INVERTEK	11 kW 24A, IP20, 3 phase input, 3 phase output, EMD filter and Dynamic Brake Transistor, 261X131X175mm, ModBus & CanOpen	907,00 EUR



OPTIDRIVE ECO FREQUENCY INVERTERS - 380-400V AC, EMC Filter, Low Harmonic



ODV-3-440300-3F1N-TN	INVERTEK	15 kW 30A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	1.529,00 EUR
ODV-3-440390-3F1N-TN	INVERTEK	18,5 kW 39A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	1.580,00 EUR
ODV-3-440460-3F1N-TN	INVERTEK	22 kW 46A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	1.646,00 EUR
ODV-3-540610-3F1N-TN	INVERTEK	30 kW 61A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	2.166,00 EUR
ODV-3-540720-3F1N-TN	INVERTEK	37 kW 72A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	2.421,00 EUR
ODV-3-540900-3F1N-TN	INVERTEK	45 kW 90A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 540X235X270mm, ModBus & CanOpen communication	2.712,00 EUR
ODV-3-641100-3F1N-TN	INVERTEK	55 kW 110A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 865X330X330mm, ModBus & CanOpen communication	4.805,00 EUR
ODV-3-641500-3F1N-TN	INVERTEK	75 kW 150A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 865x330x330mm, ModBus & CanOpen communication	7.874,00 EUR
ODV-3-641800-3F1N-TN	INVERTEK	90 kW 180A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 865x330x330mm, ModBus & CanOpen communication	8.569,00 EUR
ODV-3-742020-3F1N-TN	INVERTEK	110 kW 202A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 1280X330X360mm, ModBus & CanOpen communication	10.651,00 EUR
ODV-3-742400-3F1N-TN	INVERTEK	132 kW 240A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 1280X330X360mm, ModBus & CanOpen communication	12.766,00 EUR
ODV-3-743020-3F1N-TN	INVERTEK	160 kW 302A, IP55, 3 phase input, 3 phase output, EMD filter, low harmonic, 1280X330X360mm, ModBus & CanOpen communication	14.455,00 EUR





EXPROOF INSTRUMENTS



EXPROOF TEMPERATURE & HUMIDITY TRANSMITTERS

EXCOS-D	SCHISCHEK	ExProof Temperature / Humidity Transmitter, 24V AC/DC 0~10V DC / 4~20mA, for ExPro series probes	1.530,00 EUR
---------	-----------	---	--------------

EXPROOF TEMPERATURE & HUMIDITY SENSOR PROBES

EXPRO-CT-50	SCHISCHEK	Duct / Wall mount temperature sensor probe, 50mm length (-40)...(+80)°C, for ExCos-D	480,00 EUR
EXPRO-CT-100	SCHISCHEK	Duct mount temperature sensor probe, 100mm length (-40)...(+125)°C, for ExCos-D	521,00 EUR
EXPRO-CT-150	SCHISCHEK	Duct mount temperature sensor probe, 150mm length (-40)...(+125)°C, for ExCos-D	555,00 EUR
EXPRO-CT-200	SCHISCHEK	Duct mount temperature sensor probe, 200mm length (-40)...(+125)°C, for ExCos-D	595,00 EUR
EXPRO-CF-50	SCHISCHEK	Duct / Wall mount humidity sensor probe, 50mm length 0-100 %rH, for ExCos-D	871,00 EUR
EXPRO-CF-100	SCHISCHEK	Duct mount humidity sensor probe, 100mm length 0-100 %rH, for ExCos-D	912,00 EUR
EXPRO-CF-150	SCHISCHEK	Duct mount humidity sensor probe, 150mm length 0-100 %rH, for ExCos-D	952,00 EUR
EXPRO-CF-200	SCHISCHEK	Duct mount humidity sensor probe, 200mm length 0-100 %rH, for ExCos-D	986,00 EUR
EXPRO-CTF-50	SCHISCHEK	Duct / Wall mount temperature & humidity sensor probe, 50mm length (-40)...(+125)°C & 0-100 %rH, for ExCos-D	1.262,00 EUR
EXPRO-CTF-100	SCHISCHEK	Duct mount temperature & humidity sensor probe, 100mm length (-40)...(+125)°C & 0-100 %rH, for ExCos-D	1.306,00 EUR
EXPRO-CTF-150	SCHISCHEK	Duct mount temperature & humidity sensor probe, 150mm length (-40)...(+125)°C & 0-100 %rH, for ExCos-D	1.347,00 EUR
EXPRO-CTF-200	SCHISCHEK	Duct mount temperature & humidity sensor probe, 200mm length (-40)...(+125)°C & 0-100 %rH, for ExCos-D	1.381,00 EUR

EXPROOF TEMPERATURE & HUMIDITY TRANSMITTERS

EXCOS-A	SCHISCHEK	ExProof Temperature / Humidity Transmitter, 24V AC/DC 0~10V DC / 4~20mA, for ExPro series probes	1.700,00 EUR
---------	-----------	---	--------------

EXPROOF TEMPERATURE & HUMIDITY SENSOR PROBES

TBR-2G	SCHISCHEK	Wall mount temperature sensor probe, PT100DIN for ExCos-A(-30)...(+60)°C	548,00 EUR
TFR-2G3D	SCHISCHEK	Wall mount temperature sensor probe, PT100DIN, IP65 for ExCos-A(-40)...(+60)°C	585,00 EUR
TFK-2G3D	SCHISCHEK	Duct mount temperature sensor probe, PT100DIN, IP65, 200mm for ExCos-A(-30)...(+150)°C	524,00 EUR
TFK-2G3D-400	SCHISCHEK	Duct mount temperature sensor probe, PT100DIN, IP65, 400mm for ExCos-A(-30)...(+150)°C	629,00 EUR
TFT-2G3D	SCHISCHEK	Immersion temperature sensor probe, PT100DIN, IP65, 100mm G1/2" Ms, for ExCos-A(-30)...(+150)°C	524,00 EUR
TFT-V4A-2G3D	SCHISCHEK	Immersion temperature sensor probe, PT100DIN, IP65, 100mm G1/2" VA, for ExCos-A(-30)...(+150)°C	772,00 EUR
FFR-2G	SCHISCHEK	Wall mount humidity sensor probe, 0...1kΩ for ExCos-A 30...100 %rF	1.840,00 EUR
FFK-2G	SCHISCHEK	Duct mount humidity sensor probe, 0...1kΩ for ExCos-A 30...100 %rF	2.353,00 EUR
TFFR-2G	SCHISCHEK	Wall mount sıcaklık & humidity sensor probe PT100DIN / 0...1kΩ for ExCos-A (-10)...(+60)°C / 30...100 %rF	2.064,00 EUR
TFFK-2G	SCHISCHEK	Duct mount sıcaklık & humidity sensor probe PT100DIN / 0...1kΩ for ExCos-A (-10)...(+60)°C / 30...100 %rF	4.084,00 EUR



EXPROOF THERMOSTATS & HYGROSTATS

EXBIN-D	SCHISCHEK	ExProof Thermostat / Hygrostat control modul, 1 step On/Off control 24V AC/DC, for ExPro-B series probes	653,00 EUR
EXBIN-D-2	SCHISCHEK	ExProof Thermostat / Higestat control modul, 2 step On/Off control 24V AC/DC, for ExPro-B series probes	769,00 EUR



EXPROOF THERMOSTAT & HYGROSTAT PROBES

EXPRO-BT-50	SCHISCHEK	Duct / Wall mount thermostat probe, 50mm length (-40)...(+80)°C, for ExBin-D	439,00 EUR
EXPRO-BT-100	SCHISCHEK	Duct mount thermostat probe, 100mm length (-40)...(+125)°C, for ExBin-D	480,00 EUR
EXPRO-BT-150	SCHISCHEK	Duct mount thermostat probe, 150mm length For ExBin-D (-40)...(+125)°C, for ExBin-D	521,00 EUR
EXPRO-BT-200	SCHISCHEK	Duct mount thermostat probe, 200mm length (-40)...(+125)°C, for ExBin-D	555,00 EUR
EXPRO-BF-50	SCHISCHEK	Duct / Wall mount hygrostat probe, 50mm length 0-100 %rH, for ExBin-D	711,00 EUR
EXPRO-BF-100	SCHISCHEK	Duct mount hygrostat probe, 100mm length 0-100 %rH, for ExBin-D	793,00 EUR
EXPRO-BF-150	SCHISCHEK	Duct mount hygrostat probe, 150mm length 0-100 %rH, for ExBin-D	871,00 EUR
EXPRO-BF-200	SCHISCHEK	Duct mount hygrostat probe, 200mm length 0-100 %rH, for ExBin-D	912,00 EUR
EXPRO-BTF-50	SCHISCHEK	Duct / Wall mount thermostat & hygrostat probe, 50mm length (-40)...(+125)°C & 0-100 %rH, for ExBin-D	1.190,00 EUR
EXPRO-BTF-100	SCHISCHEK	Duct mount thermostat & hygrostat probe, 100mm length (-40)...(+125)°C & 0-100 %rH, for ExBin-D	1.228,00 EUR
EXPRO-BTF-150	SCHISCHEK	Duct mount thermostat & hygrostat probe, 150mm length (-40)...(+125)°C & 0-100 %rH, for ExBin-D	1.262,00 EUR
EXPRO-BTF-200	SCHISCHEK	Duct mount thermostat & hygrostat probe, 200mm length (-40)...(+125)°C & 0-100 %rH, for ExBin-D	1.306,00 EUR



EXPROOF DIFFERENTIAL PRESSURE SWITCHES

EXBIN-P500	SCHISCHEK	ExProof Differential Pressure Switch, 0-500Pa, max 5.000Pa 24V AC/DC, 1 stage switching	956,00 EUR
EXBIN-P500-2	SCHISCHEK	ExProof Differential Pressure Switch, 0-500Pa, max 5.000Pa 24V AC/DC, 2 stage switching	1.037,00 EUR
EXBIN-P5000	SCHISCHEK	ExProof Differential Pressure Switch, 0-5.000Pa, max 50.000Pa 24V AC/DC, 1 stage switching	956,00 EUR
EXBIN-P5000-2	SCHISCHEK	ExProof Differential Pressure Switch, 0-5.000Pa, max 50.000Pa 24V AC/DC, 2 stage switching	1.037,00 EUR



EXPROOF FROST PROTECTION THERMOSTAT

EXBIN-FR-3	SCHISCHEK	ExProof Frost Protection Thermostat, 3m capillary length (-10)...(+15)°C	956,00 EUR
EXBIN-FR-6	SCHISCHEK	ExProof Frost Protection Thermostat, 6m capillary length (-10)...(+15)°C	1.000,00 EUR






EXPROOF TEMPERATURE SENSORS - FM Certificated

TTE-102-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 2" length probe	741,00 EUR
TTE-104-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 4" length probe	741,00 EUR
TTE-106-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 6" length probe	741,00 EUR



EXPROOF TEMPERATURE SENSORS - FM Certificated, With display

TTE-102-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 2" length probe	942,00 EUR
TTE-104-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 4" length probe	942,00 EUR
TTE-106-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 6" length probe	942,00 EUR



EXPROOF TEMPERATURE SENSORS

TTE-202-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 2" length probe	882,00 EUR
TTE-204-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 4" length probe	882,00 EUR
TTE-206-W	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 6" length probe	882,00 EUR



EXPROOF TEMPERATURE SENSORS - With display

TTE-202-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 2" length probe	1.081,00 EUR
TTE-204-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 4" length probe	1.081,00 EUR
TTE-206-W-LCD	DWYER	ExProof Temperature sensor, PT1000, -35...120°C, 6" length probe	1.081,00 EUR



EXPROOF DIFFERENTIAL PRESSURE TRANSMITTERS

AT2MS2-W101-X-A-B-1-X-T2	DWYER	0-25/40/50/125Pa, 4~20mA, 0~5V DC, 0~10V DC	2.484,00 EUR
AT2MS2-W102-X-A-B-1-X-T2	DWYER	0-250/500/750/1250Pa, 4~20mA, 0~5V DC, 0~10V DC	2.484,00 EUR
AT2MS2-W103-X-A-B-1-X-T2	DWYER	0-2500/3500/5000/6975Pa, +/- 2500/3500/5000/6975Pa, 4~20mA,	2.484,00 EUR
AT2MS2-W111-X-A-B-1-X-T2	DWYER	+/- 25/40/50/125Pa, 4~20mA, 0~5V DC, 0~10V DC	2.541,00 EUR

EXPROOF DIFFERENTIAL PRESSURE SWITCHES

1950G-00-B-24	DWYER	ExProof Differential Pressure Switch, 0.07-0.15wc, 15A, 230V AC	809,00 EUR
1950G-0-B-24	DWYER	ExProof Differential Pressure Switch, 0.15-0.5wc, 15A, 230V AC	809,00 EUR
1950G-1-B-24	DWYER	ExProof Differential Pressure Switch, 0.4-1.6wc, 15A, 230V AC	809,00 EUR
1950G-2-B-24	DWYER	ExProof Differential Pressure Switch, 1.4-5.5wc, 15A, 230V AC	809,00 EUR
1950G-10-B-24	DWYER	ExProof Differential Pressure Switch, 3-11wc, 15A, 230V AC	809,00 EUR
1950G-20-B-24	DWYER	ExProof Differential Pressure Switch, 4-20wc, 15A, 230V AC	809,00 EUR

EXPROOF DIFFERENTIAL PRESSURE SWITCHES - FM Certificated

1950-02-2S	DWYER	ExProof Differential Pressure Switch, 0.03-0.1wc, 15A, 230V AC	644,00 EUR
1950-00-2S	DWYER	ExProof Differential Pressure Switch, 0.07-0.15wc, 15A, 230V AC	452,00 EUR
1950-0-2S	DWYER	ExProof Differential Pressure Switch, 0.15-0.5wc, 15A, 230V AC	452,00 EUR
1950-1-2S	DWYER	ExProof Differential Pressure Switch, 0.4-1.6wc, 15A, 230V AC	452,00 EUR
1950-5-2S	DWYER	ExProof Differential Pressure Switch, 1.4-5.5wc, 15A, 230V AC	452,00 EUR
1950-10-2S	DWYER	ExProof Differential Pressure Switch, 3-11wc, 15A, 230V AC	452,00 EUR
1950-20-2S	DWYER	ExProof Differential Pressure Switch 4-20wc, 15A, 230V AC	452,00 EUR





METHAN (CH₄) SENSOR - 4-20mA, RS485 ModBus Communication

PX2-1-0-P3400-A-P1	MSR	ExProof Methan (CH ₄) Sensor, 0-100%LEL Wall mount, Atex for zone-1	1.155,00 EUR
PX2-1-1-P3400-A-P1	MSR	ExProof Methan (CH ₄) Sensor, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.155,00 EUR
PX2-1-2-P3400-A-P1	MSR	ExProof Methan (CH ₄) Sensor, with display, 0-100%LEL Wall mount, Atex for zone-1	1.866,00 EUR
PX2-1-3-P3400-A-P1	MSR	ExProof Methan (CH ₄) Sensor, with display, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.866,00 EUR



LPG SENSOR - 4-20mA, RS485 ModBus Communication

PX2-1-0-P3402-A-P1	MSR	ExProof LPG Sensor, 0-100%LEL Wall mount, Atex for zone-1	1.155,00 EUR
PX2-1-1-P3402-A-P1	MSR	ExProof LPG Sensor, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.155,00 EUR
PX2-1-2-P3402-A-P1	MSR	ExProof LPG Sensor, with display, 0-100%LEL Wall mount, Atex for zone-1	1.866,00 EUR
PX2-1-3-P3402-A-P1	MSR	ExProof LPG Sensor, with display, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.866,00 EUR



AMMONIA (NH₃) SENSOR - 4-20mA, RS485 ModBus Communication

PX2-1-0-P3408-A-P1	MSR	ExProof Ammonia (NH ₃) Sensor, 0-100%LEL Wall mount, Atex for zone-1	1.284,00 EUR
PX2-1-1-P3408-A-P1	MSR	ExProof Ammonia (NH ₃) Sensor, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.284,00 EUR
PX2-1-2-P3408-A-P1	MSR	ExProof Ammonia (NH ₃) Sensor, with display, 0-100%LEL Wall mount, Atex for zone-1	1.995,00 EUR
PX2-1-3-P3408-A-P1	MSR	ExProof Ammonia (NH ₃) Sensor, with display, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.995,00 EUR



HYDROGEN (H₂) SENSOR - 4-20mA, RS485 ModBus Communication

PX2-1-0-P3440-A-P1	MSR	ExProof Hydrogen (H ₂) Sensor, 0-100%LEL Wall mount, Atex for zone-1	1.155,00 EUR
PX2-1-1-P3440-A-P1	MSR	ExProof Hydrogen (H ₂) Sensor, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.155,00 EUR
PX2-1-2-P3440-A-P1	MSR	ExProof Hydrogen (H ₂) Sensor, with display, 0-100%LEL Wall mount, Atex for zone-1	1.866,00 EUR
PX2-1-3-P3440-A-P1	MSR	ExProof Hydrogen (H ₂) Sensor, with display, 0-100%LEL Wall mount, 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.866,00 EUR





PETROL VAPOUR SENSOR - 4-20mA, RS485 ModBus Communication

PX2-1-0-P3496-A-P1	MSR	ExProof Petrol Vapour Sensor, 0-100%LEL Wall mount Atex for zone-1	1.155,00 EUR
PX2-1-1-P3496-A-P1	MSR	ExProof Petrol Vapour Sensor, 0-100%LEL Wall mount 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.155,00 EUR
PX2-1-2-P3496-A-P1	MSR	ExProof Petrol Vapour Sensor, with display, 0-100%LEL Wall mount Atex for zone-1	1.866,00 EUR
PX2-1-3-P3496-A-P1	MSR	ExProof Petrol Vapour Sensor, with display, 0-100%LEL, Wall mount 2 relay output (Max. 30V AC/DC, 1A), Atex for zone-1	1.866,00 EUR








EXPROOF DAMPER ACTUATORS - Small - Non-Spring Return

	EXMAX-5.10	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 5Nm/10Nm, 3/15/30/60/120sec open, non-spring return 24~240V AC/DC	2.489,00 EUR
	EXMAX-15.30	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 15Nm/30Nm, 3/15/30/60/120sec open, non-spring return 24~240V AC/DC	2.873,00 EUR
	EXMAX-5.10-S	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 5Nm/10Nm, 3/15/30/60/120sec open, non-spring return with auxiliary switch, 24~240V AC/DC	2.680,00 EUR
	EXMAX-15.30-S	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 15Nm/30Nm, 3/15/30/60/120sec open, non-spring return with auxiliary switch, 24~240V AC/DC	3.060,00 EUR
	EXMAX-5.10-Y	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control 5Nm/10Nm, 7,5/15/30/60/120sec open, non-spring return 24~240V AC/DC	2.873,00 EUR
	EXMAX-15.30-Y	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control, 15Nm/30Nm, 7,5/15/30/60/120sec open, non-spring return 24~240V AC/DC	3.254,00 EUR

EXPROOF DAMPER ACTUATORS - Small - Spring Return

	EXMAX-5.10-F	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 5Nm/10Nm, 3/15/30/60/120sec open, 3/10sec close 24 - 240 VAC/DC	3.023,00 EUR
	EXMAX-15-F	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 15Nm, 3/15/30/60/120sec open, 3/10sec close 24 - 240 VAC/DC	3.404,00 EUR
	EXMAX-5.10-SF	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 5Nm/10Nm, 3/15/30/60/120sec open, 3/10sec close with auxiliary switch, 24 - 240 VAC/DC	3.213,00 EUR
	EXMAX-30-SF	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control 30Nm, 40/60/90/120/150sec open, 20sec close with auxiliary switch, 24 - 240 VAC/DC	5.332,00 EUR
	EXMAX-5.10-YF	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control 5Nm/10Nm, 7,5/15/30/60/120sec open, 3/10sec close 24 - 240 VAC/DC	3.448,00 EUR
	EXMAX-15-YF	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control 15Nm, 7,5/15/30/60/120sec open, 3/10sec close 24 - 240 VAC/DC	3.825,00 EUR

EXPROOF DAMPER ACTUATORS - Small - Fast Spring Return

	EXMAX-8-F1	SCHISCHEK	ExProof Damper Actuator, On/Off control, 8Nm, 3/15/30/60/120sec open, 1sec close, with auxiliary switch, 24~240V AC/DC	3.938,00 EUR
	EXMAX-15-F1	SCHISCHEK	ExProof Damper Actuator, On/Off control, 15Nm, 3/15/30/60/120sec open, 1sec close, with auxiliary switch, 24~240V AC/DC	4.097,00 EUR
	EXMAX-8-SF1	SCHISCHEK	ExProof Damper Actuator, On/Off control, 8Nm, 3/15/30/60/120sec open, 1sec close, 24~240V AC/DC	4.094,00 EUR
	EXMAX-15-SF1	SCHISCHEK	ExProof Damper Actuator, On/Off control, 15Nm, 3/15/30/60/120sec open, 1sec close, 24~240V AC/DC	4.298,00 EUR



EXPROOF DAMPER ACTUATORS - Medium - Non-Spring Return

EXMAX-50.75	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 50Nm/75Nm, 40/60/90/120/150sec open, 24 - 240 VAC/DC	3.866,00 EUR
EXMAX-100	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 100Nm, 40/60/90/120/150sec open, 24 - 240 VAC/DC	4.648,00 EUR
EXMAX-150	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 150Nm, 40/60/90/120/150sec open, 24 - 240 VAC/DC	5.046,00 EUR
EXMAX-50.75-S	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 50Nm/75Nm, 40/60/90/120/150sec open, with auxiliary switch, 24 - 240 VAC/DC	4.060,00 EUR
EXMAX-100-S	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 100Nm, 40/60/90/120/150sec open, with auxiliary switch, 24 - 240 VAC/DC	4.842,00 EUR
EXMAX-150-S	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 150Nm, 40/60/90/120/150sec open, with auxiliary switch, 24 - 240 VAC/DC	5.236,00 EUR
EXMAX-50.75-Y	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control, 50Nm/75Nm, 40/60/90/120/150sec open, 24 - 240 VAC/DC	4.692,00 EUR
EXMAX-100-Y	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control, 100Nm, 40/60/90/120/150sec open, 24 - 240 VAC/DC	5.481,00 EUR



EXPROOF DAMPER ACTUATORS - Medium - Spring Return

EXMAX-30-F	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 30Nm 40/60/90/120/150sec open, 20sec close	5.138,00 EUR
EXMAX-50-F	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 50Nm 40/60/90/120/150sec open, 20sec close	5.930,00 EUR
EXMAX-60-F	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 60Nm 40/60/90/120sec open, 20sec close, Spring return	6.324,00 EUR
EXMAX-30-SF	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 30Nm 40/60/90/120/150sec open, 20sec close, with auxiliary switch	5.332,00 EUR
EXMAX-50-SF	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 50Nm 40/60/90/120/150sec open, 20sec close, with auxiliary switch	6.127,00 EUR
EXMAX-60-SF	SCHISCHEK	ExProof Damper Actuator, On/Off & Floating control, 60Nm, 40/60/90/120sec open, 20sec close, with auxiliary switch	6.518,00 EUR
EXMAX-30-YF	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control, 30Nm 40/60/90/120/150sec open, 20sec close	5.971,00 EUR
EXMAX-50-YF	SCHISCHEK	ExProof Damper Actuator, Floating & Modulating control, 50Nm 40/60/90/120/150sec open, 20sec close	6.763,00 EUR



EXPROOF DAMPER ACTUATORS - Medium - Fast Spring Return

EXMAX-30-F3	SCHISCHEK	ExProof Damper Actuator, On/Off control, 30Nm, 40/60/90/120/150sec open, 3sec close, 24~240V AC/DC	6.447,00 EUR
EXMAX-50-F3	SCHISCHEK	ExProof Damper Actuator, On/Off control, 50Nm, 40/60/90/120/150sec open, 3sec close, 24~240V AC/DC	7.236,00 EUR
EXMAX-30-SF3	SCHISCHEK	ExProof Damper Actuator, On/Off control, 30Nm, 40/60/90/120/150sec open, 3sec close, with auxiliary switch, 24~240V AC/DC	6.644,00 EUR
EXMAX-50-SF3	SCHISCHEK	ExProof Damper Actuator, On/Off control, 50Nm, 40/60/90/120/150sec open, 3sec close, with auxiliary switch, 24~240V AC/DC	7.436,00 EUR






EXPROOF LINEAR ACTUATORS - Non-Spring Return



EXRUN-5.10	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control 500/1000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	4.339,00 EUR
EXRUN-25.50	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control 2.500 / 5000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	5.121,00 EUR
EXRUN-75.100	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control 7500 / 10000N, 4 / 6 / 9 / 12 / 15sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	6.301,00 EUR
EXRUN-5.10-Y	SCHISCHEK	ExProof Linear Actuator, Modulating control 0~10V DC / 4~20mA 500 / 1000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	5.519,00 EUR
EXRUN-25.50-Y	SCHISCHEK	ExProof Linear Actuator, Modulating control 0~10V DC / 4~20mA 2500 / 5000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	6.301,00 EUR
EXRUN-75.100-Y	SCHISCHEK	ExProof Linear Actuator, Modulating control 0~10V DC / 4~20mA 7500 / 10000N, 4 / 6 / 9 / 12 / 15sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	7.491,00 EUR
EXRUN-5.10-U	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control, 500/1000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	5.519,00 EUR
EXRUN-25.50-U	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control, 2500 / 5000N, 2 / 3 / 6 / 9 / 12sec, non-spring return 0~10V DC / 4/20mA feedback, 24-240V AC/DC	6.301,00 EUR
EXRUN-75.100-U	SCHISCHEK	ExProof Linear Actuator, On/Off & Floating control, 7500/10000N, 4/6/9/12/15sec, non-spring return 0~10V DCDC / 4/20mA feedback, 24-240V AC/DC	7.487,00 EUR
ADAPTATION	SCHISCHEK	ExRun type valve actuator linkage accessory (while ordering please mention the valve model and brand)	1.700,00 EUR



Kontrolyum Otomasyon Sistemleri San. Tic. Ltd. Sti.

Girne Mah. Irmaklar Sok. Kucukyali Is Merkezi
H Blok No:3, 34852 Maltepe / Istanbul, TURKEY

Phone : +90 (850) 441 0 596
Phone : +90 (216) 504 15 70
Fax : +90 (216) 504 15 71
Whatsapp : +90 (530) 231 17 88

E-Mail : info@kontrolyum.com
KEP Adresi : kontrolyum@hs01.kep.tr
Web : www.kontrolyum.com

Mersis No : 057605550190001
Tic. Oda Sicil No : 100788-5
D-U-N-S® No : 520145839

Tax Office: Kucukyali V.D. Tax No: 576 055 5019



Swift Code : FNNBTRISXXX

Account No (TL) : 72174939
IBAN: TR90 0011 1000 0000 0072 1749 39

Account No (EUR) : 72279955
IBAN: TR65 0011 1000 0000 0072 2799 55

Account No (USD) : 72279679
IBAN: TR48 0011 1000 0000 0072 2796 79





EXPIRED DATE

Price list will be expired on 31 December 2020. According to unexpected various situations, Kontrolyum has a right to revise the price list without any notifications. Please follow us on social media or visit our online web page for updated prices and news.

PAYMENT TERMS

It is always available to check out via debit or credit card at our online web page. For special orders which are not available at the stocks, we charge 40% pre-payment of total amount and before shipment we charge balance payment as well.

EXCHANGE RATE

We mostly invoice in Turkish Lira for clients who located in Turkey. We use updated daily exchange rates. All other clients will be invoiced in USD or EUR as usual.

DELIVERY METHOD

All orders are EXW delivery at Kontrolyum warehouse in Istanbul, TURKEY. For any requests, we can deliver orders via DHL or TNT to all over the world. We deliver orders on the same day for clients which located in Turkey. For international clients' orders we deliver right after all paper and custom works.

PRIVACY POLICY

We keep all clients information in protected and secret in our archive. All debit and card are also secured in 3D. The determined discount values are company specific and should be kept confidential due to confidentiality.

PRICES

We additionally add 18% tax on the invoice for orders of clients which located in Turkey. All mentioned prices are without tax added. We do not add any tax for international clients but for some order we may need to add paper work fee for customs and clearance.

DISCOUNT OFFER

We make our prices more attractive with our special discount rates for our valued clients. If you wish, you can benefit from our special discounts by subscribing to our website or you can learn your special discount from our sales representatives.



WARRANTY

All products are under the warranty of the manufacturer companies, unless stated otherwise. All products are under warranty for 24 months from the date of invoice against manufacturing and material defects. Products that are damaged due to user faults, installation, storage in an inappropriate environment with excessive moisture and temperature, earthquake, flood, lightning, electrical installation and force majeure are excluded from the warranty.

Changes to the product or deformation of the product are not covered by the warranty. In the event that there are malfunctions in the products purchased, we will make a written report within 15 days by examining by us.

In case of defective, defective or faulty product returns, the complaints of the product to be forwarded to you must be sent to the company of KONTROLYUM as “prepayment” together with the form to be filled. The product malfunction will be detected by our company and information will be transferred to you with the “Product Inspection Form” and the product will be changed based on the result. If your return request receives “APPROVAL”, the cost of your submission will be paid by the KONTROLYUM and sent to you.

RETURN POLICY

- 1) No refund of imported materials will be accepted for special order on the customer’s request.
- 2) The unconditional returns of the purchased boxed materials without opening the boxes and the unboxed materials without using them within seven days will be accepted by us.
- 3) Depending on the return type, the materials can be returned at the downtime stated below.
After the invoice date;
 - i. The materials returned within one week are taken back without interruption.
 - ii. For materials returned within one month, a 5% deduction is applied to the refund of the fee.
 - iii. For materials returned within three months, a 10% deduction is applied to reimbursement of the fee..
 - iv. For materials returned within six months, a 20% deduction is applied to the refund.
 - v. Products older than six months are not accepted as refunds.
- 4) It will be refunded or exchanged with the agreed terms of payment.
- 5) The shipping & shipping costs of the material & documents related to the return operations belong to the sender (returner).
- 6) It should be started by obtaining approval from KONTROLYUM customer representative before proceeding with the return requests.
- 7) Refunds that are not in line with the procedures or without the approval of KONTROLYUM will not be accepted.



 **WhatsApp**
+90(530)231 1788

KONTROLYUM OTOMASYON SISTEMLERİ SAN. TIC. LTD. STİ.

Girne Mah. Irmaklar Sok. Kucukyali Is Merkezi H Blok No:3 Maltepe / Istanbul, TURKEY
Phone : +90 (216) 504 15 70 - Fax : 0 (216) 504 15 71 - E-Mail : info@kontrolyum.com